


00



Monthly Landing Statistics by Species

NOVEMBER 2008





Quebec Marine Fisheries

Monthly Landing Statistics by Species

November 2008

Statistics and Licensing Division Fisheries Management Branch Department of Fisheries and Oceans Quebec (Quebec) G1K 7Y7

September 11th, 2009

Published by:

Statistics and Licensing Division
Fisheries and Aquaculture Management
Department of Fisheries and Oceans
Quebec (Quebec)
G1K 7Y7

@Minister of Supply and Services Canada 2008 Catalog No Es 2-8/2008-11E ISSN 1187-7693

Correct citation for this publication:

Department of Fisheries and Oceans. 2009. Quebec Marine Fisheries - Monthly Landing Statistics by Species, November 2008, 61 p. Copie française disponible

This document is published eight times a year, from May to December inclusively

Legend:

- * Less than half of the smallest unit used.
- Nil
- # Because there are less than three buyers involved in this fishery, these data are confidential and cannot be published.


N/A Not Applicable

N/AV Not Available

REGIONAL SUMMARY

| | | 2007 | (final) | | | 2008 (preliminary) | | | | n (%) |
|---------------------------------|-------|-------|---------|---------|-------|--------------------|--------|---------|--------|-------|
| | Noven | nber | Cumu | lative | Noven | nber | Cumu | lative | of Cum | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 20 | 24 | 2 416 | 3 050 | 152 | 193 | 2 414 | 3 067 | 0 | 1 |
| Haddock | - | | | - | | | | 1 | N/A | N/A |
| Redfish | 76 | - | 72 | 52 | | | 281 | 233 | 289 | 349 |
| Atlantic halibut. | 138 | 1 | 190 | 1 120 | - | 2 | 245 | 1 476 | 29 | 32 |
| American plaice | 45 | | 96 | 77 | | - | 80 | 63 | -17 | -18 |
| Greysole (Witch) | | - | 153 | 163 | - | | 45 | 49 | -71 | -70 |
| Vinter flounder | | | 136 | 154 | - | | 123 | 148 | -10 | -4 |
| Greenland halibut | 1 | 2 | 3 029 | 5 641 | 2 | 5 | 2 942 | 5 779 | -3 | 2 |
| Inspecified flounders | | | | | | | | | N/A | N/A |
| White hake | 68 | - | 7 | 4 | - | | 20 | 12 | 181 | 206 |
| Catfish | | | | | | | 3 | 1 | 995 | 496 |
| Other Groundfish | 1 | 1 | 253 | 293 | ۰ | • | 171 | 212 | -33 | -28 |
| Total Groundfish | 22 | 27 | 6 353 | 10 553 | 155 | 199 | 6 324 | 11 040 | 0 | 5 |
| Herring | 34 | | 3 453 | 996 | 1 | . 2 | 2 775 | 917 | -20 | -8 |
| Vackerel | 5 | 2 | 1 098 | 572 | 7 | 4 | 1 313 | 713 | 20 | 25 |
| una, Bluefin | | - | | | - | | | 5 | N/A | N/A |
| Smelt | | - | | | | | | | N/A | N/A |
| Capelin | | | 924 | 271 | | 40 | 1 343 | 240 | 45 | -12 |
| Other Pelagic and Esturial fish | | 5 | 26 | 110 | | - | 6 | 4 | -78 | -96 |
| Total Pelagic and Esturial fish | 6 | 8 | 5 502 | 1 948 | 8 | 5 | 5 437 | 1 879 | -1 | -4 |
| Soft-shell Clam | 179 | | 280 | 420 | • | | 177 | 276 | -37 | -34 |
| Ocean quahaug | | | - | - | | | | - | N/A | N/A |
| Scallop | 20 | 26 | 882 | 1 762 | 12 | 20 | 827 | 1 467 | -6 | -17 |
| Vhelk | 21 | 22 | 1 262 | 1 298 | 7 | 8 | 1 147 | 1 214 | -9 | -6 |
| obster | | | 3 232 | 44 223 | | 6 | 3 455 | 39 459 | 7 | -11 |
| Shrimp | 318 | 339 | 18 046 | 18 069 | 188 | 272 | 21 465 | 25 119 | 19 | 39 |
| Rock crab | 2 | 2 | 1 953 | 1 658 | | 40 | 1 778 | 1 548 | -9 | -7 |
| Snow crab | | | 14 736 | 62 966 | | | 13 463 | 50 447 | -9 | -20 |
| Other Molluscs and Crustaceans | 47 | 50 | 978 | 798 | 60 | 69 | 1 193 | 902 | 22 | 13 |
| Total Molluscs and Crustaceans | 408 | 439 | 41 368 | 131 194 | 268 | 369 | 43 505 | 120 432 | 5 | -8 |
| Other Item | 140 | 201 | 743 | 962 | 5 | 10 | 457 | 800 | -39 | -17 |
| Total | 576 | 674 | 53 966 | 144 658 | 436 | 584 | 55 723 | 134 151 | 3 | -7 |

MARITIME SECTORS IN QUEBEC





Pêches et Océans Físheries and Oceans Canada Canada Canadä



QUEBEC MARINE FISHERIES CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, NOVEMBER 2008 QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

| Species | Less the | an 35' | 35" - 6 | 4"11" | 65° and | over | Total by | species |
|---|----------|--------|----------|---------|----------|-------|----------|---------|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 731 | 785 | 1 673 | 2 269 | 10 | 13 | 2 414 | 3 067 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 3 | 2 | 138 | 106 | 141 | 125 | 281 | 233 |
| Atlantic halibut | 28 | 172 | 215 | 1 285 | 3 | 20 | 245 | 1 476 |
| American plaice | 14 | 10 | 65 | 51 | 2 | 1 | 80 | 63 |
| Greysole (Witch) | 0 | 0 | 43 | 46 | 2 | 2 | 45 | 49 |
| Winter flounder | 20 | 19 | 103 | 130 | 0 | 0 | 123 | 148 |
| Greenland halibut | 629 | 1 224 | 2 295 | 4 521 | 17 | 33 | 2 942 | 5 779 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 1 | 0 | 12 | 7 | 8 | 5 | 20 | 12 |
| Catfish | 0 | 0 | 3 | 1 | 0 | 0 | 3 | 1 |
| Other Groundfish | 8 | 8 | 161 | 203 | 2 | 1 | 171 | 212 |
| Total Groundfish | 1 433 | 2 220 | 4 707 | 8 620 | 184 | 200 | 6 324 | 11 040 |
| Herring | 1.117 | 339 | 1 658 | 578 | 0 | 0 | 2 775 | 917 |
| Mackerel | 524 | 295 | 789 | 418 | 0 | 0 | 1 313 | 713 |
| Tuna, Bluefin | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 5 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Capelin | 978 | 188 | 365 | 52 | 0 | 0 | 1 343 | 240 |
| Other Pelagic and Estuarial fish. | 1 | 1 | 5 | 3 | 0 | 0 | 6 | 4 |
| Total Pelagic and Estuarial fish | 2 620 | 823 | 2 818 | 1 056 | 0 | 0 | 5 437 | 1 879 |
| 0.0 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A | 177 | 276 | 0 | 0 | 0 | 0 | 177 | 279 |
| Soft-shell Clam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Ocean quahaug | 46 | 59 | 781 | 1 408 | 0 | 0 | 827 | 1 467 |
| Scallop | 420 | 431 | 728 | 783 | 0 | 0 | 1 147 | 1 21 |
| Whelk | 1 179 | 13 567 | 2 276 | 25 892 | 0 | 0 | 3 455 | 39 459 |
| Lobster | 0 | 0 | 17 719 | 20 765 | 3 745 | 4 354 | 21 465 | 25 119 |
| Shrimp | 731 | 628 | 1 046 | 920 | 0 | 0 | 1 778 | 1 54 |
| Rock crab | 617 | 2 183 | 12 542 | 47 026 | 305 | 1 238 | 13 463 | 50 44 |
| Snow crab Other Molluscs and Crustaceans | 114 | 95 | 1 078 | 807 | 0 | 0 | 1 193 | 903 |
| Total Molluscs and Crustaceans | 3 284 | 17 239 | 36 170 | 97 601 | 4 050 | 5 592 | 43 505 | 120 43 |
| Other items | 214 | 368 | 242 | 433 | 0 | 0 | 457 | 80 |
| One north | | | | | 4.004 | 6 700 | | 104.65 |
| Total | 7 551 | 20 650 | 43 937 | 107 709 | 4 234 | 5 792 | 55 723 | 134 15 |

* PRELIMINARY *

REGIONAL SUMMARY

Quantity(metric tons, round weight) (Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE. |
|---------------------------------|---------|----------|-------|-------|--------|--------|
| | 0 | 0 | 0 | 0 | 33 | 28 |
| Cod | 0 | 0 | 0 | 0 | 0 | 0 |
| Haddock | 0 | 0 | 0 | 0 | 1 | 110 |
| Redfish | 0 | 0 | 0 | 3 | 21 | 14 |
| Atlantic halibut | 0 | 0 | 0 | 1 | 5 | 12 |
| American plaice | 0 | 0 | 0 | 0 | 0 | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 4 | 61 | 57 |
| Winter flounder | 0 | 0 | 0 | 80 | 553 | 683 |
| Greenland halibut | | 0 | 0 | 0 | 0 | 0 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 1 | 3 |
| White hake | 0 | | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 3 | 65 | 94 |
| Other Groundfish | 0 | 0 | U | 9 | | |
| Total Groundfish | 0 | 0 | 0 | 92 | 739 | 1 002 |
| | | 0 | 0 | 153 | 325 | 9 |
| Herring | 0 | | 0 | 0 | 2 | 253 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 . | 0 | 0 | 0 |
| Smelt | 0 | 0 | | 0 | 1 | 706 |
| Capelin | 0 | 0 | 0 | 0 | 1 | 1 |
| Other Pelagic and Esturial fish | 0 | 0 | 0 | U | | |
| Total Pelagic and Esturial fish | 0 | 0 | 0 | 153 | 329 | 969 |
| | 0 | 0 | 0 | 24 | 25 | 25 |
| Soft-shell Clam | 0 | 0 | 0 | 0 | 0 | 0 |
| Ocean quahaug | 0 | 0 | 0 | 255 | 35 | 56 |
| Scallop | 0 | 0 | 0 | 39 | 144 | 213 |
| Whelk | 0 | 0 | 0 | 0 | 2 216 | 1 103 |
| Lobster | | 0 | 0 | 4 252 | 4 491 | 3 568 |
| Shrimp | 0. | 0 | 0 | 0 | 5 | 12 |
| Rock crab | 0 | 0 | 0 | 2 292 | 6 906 | 3 889 |
| Snow crab | 0 | _ | 0 | 39 | 82 | 45 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 35 | | |
| Total Molluscs and Crustaceans | 0 | 0 | 0 | 6 900 | 13 904 | 8 913 |
| Other items | 9 | 0 | 4 | 187 | 64 | 7 |
| Total | 9 | 0 | 4 | 7 332 | 15 036 | 10 891 |

PRELIMINARY

REGIONAL SUMMARY

Quantity(metric tons, round weight) (Excluding non commercial fisheries)

| JUL | Y | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|------|----------|--------|-----------|---------|----------|----------|--------|
| 1 14 | | 466 | 350 | 241 | 152 | 0 | 2 414 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 156 | 13 | 1 | 1 | 0 | 0 | 281 |
| | 107 | 74 | 21 | 4 | 0 . | . 0 | 245 |
| | 19 | 21 | 17 | 5 | 0 | 0 | 80 |
| | 19 | 0 | 16 | 24 | 0 | 0 | 45 |
| | 4 | 0 | 0 | 0 | 0 | 0 | 123 |
| | 1 888 | 511 | 196 | 26 | 2 | 0 | 2 942 |
| 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 1 | 0 | 0 | 0 | 20 |
| | 11 | 1 | 1 | 0 | 0 | 0 | 3 |
| | 5 | 2 | 1 | 0 | 0 | 0 | 171 |
| | 20 | 4.000 | 604 | 301 | 155 | 0 | 6 324 |
| 2. | 338 | 1 092 | 004 | 501 | | | |
| | 68 | 1 316 | 874 | 29 | 1 | 0 | 2 775 |
| | 76 | 474 | 388 | 112 | 7 | 0 | 1 313 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 637 | 0 | 0 | 0 | 0 | 0 | 1 343 |
| | 2 | 2 | 1 | 0 | 0 | 0 | 6 |
| | | | 1 262 | 142 | 8 | 0 | 5 437 |
| | 783 | 1 792 | 1 262 | 142 | | | |
| | 34 | 14 | 30 | 25 | 0 | 0 | 177 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 151 | 173 | 105 | 41 | 12 | 0 | 827 |
| | 267 | 229 | 204 | 45 | 7 | 0 | 1 147 |
| | 134 | 1 | 0 | 0 | 0 | 0 | 3 455 |
| | 134 | 2 957 | 1 671 | 401 | 188 | 0 | 21 465 |
| | 62 | 798 | 818 | 83 | 0 | 0 | 1 778 |
| | 376 | 0 | 0 | 0 | 0 | 0 | 13 463 |
| | 275 | 247 | 307 | 136 | 60 | 0 | 1 193 |
| _ | 225 | 4.400 | 3 135 | 730 | 268 | 0 | 43 505 |
| 5 | 5 235 | 4 420 | | | | | |
| | 2 | 8 | 86 | 85 | 5 | 0 | 457 |
| _ | 3 359 | 7 312 | 5 087 | 1 257 | 436 | 0 | 55 723 |

QUEBEC MARINE FISHERIES MONTHLY LANDING STATISTICS IN 2008 QUEBEC REGION

PRELIMINARY :

REGIONAL SUMMARY

Value ('000\$) (Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---------------------------------|---------|----------|-------|--------|--------|--------|
| Cod | 0 | 0 | 0 | 0 | 57 | 30 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 1 | 89 |
| Atlantic halibut | 0 | 0 | 0 | . 23 | 125 | 81 |
| American plaice | 0 | 0 | 0 | 1 | 4 | 10 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 1 |
| Winter flounder | 0 | 0 | 0 | 5 | 74 | 68 |
| Greenland halibut | 0 | 0 | 0 | 179 | 1 116 | 1 307 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 2 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 3 | 82 | 122 |
| Total Groundfish | 0 | 0 | 0 | 211 | 1 459 | 1 711 |
| Herring | 0 | 0 | 0 | 84 | 177 | 5 |
| Mackerel | 0 | 0 | 0 | 0 | 2 | 156 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 2 | 149 |
| Other Pelagic and Esturial fish | 0 | 0 | 0 | 0 | 0 | 1 |
| Total Pelagic and Esturial fish | 0 | 0 | 0 | 84 | 181 | 311 |
| Soft-shell Clam | 0 | 0 | 0 | 39 | 39 | 40 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 498 | 75 | 107 |
| Whelk | 0 | 0 | 0 | 42 | 149 | 221 |
| Lobster | 0 | 0 | 0 | 0 | 25 835 | 12 037 |
| Shrimp | 0 · | 0 | 0 | 5 210 | 5 298 | 4 128 |
| Rock crab | 0 | 0 | 0 | 0 | 3 | 7 |
| Snow crab | 0 | 0 | 0 | 7 886 | 26 248 | 15 006 |
| Other Molluscs and Crustaceans | 0 | 0 | 0 | 27 | 20 | 33 |
| Total Molluscs and Crustaceans | 0 | 0 | 0 | 13 702 | 57 668 | 31 579 |
| Other Items | 13 | 0 | 6 | 260 | 104 | 31 |
| Total | 13 | | 6 | 14 257 | 59 412 | 33 632 |


QUEBEC MARINE FISHERIES MONTHLY LANDING STATISTICS IN 2008 QUEBEC REGION

* PRELIMINARY *

REGIONAL SUMMARY

Value ('000\$) (Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|--------|--------|-----------|---------|----------|----------|---------|
| 1 357 | 602 | 493 | 336 | 193 | 0 | . 3 067 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 131 | 11 | 1 | 0 | 0 | 0 | 233 |
| 626 | 473 | 122 | 24 | 2 | . 0 | 1 476 |
| 16 | 16 | 13 | 3 | 0 | 0 | 63 |
| 5 | 0 | 17 | 25 | 0 | 0 | 49 |
| 1 | 0 | 0 | 0 | 0 | 0 . | 148 |
| 1 714 | 1 007 | 397 | 54 | 5 | 0 | 5 779 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 2 | 1 | 0 | 0 | 0 | 12 |
| 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 3 | 1 | 0 | 0 | 0 | 0 | 212 |
| 3 860 | 2 113 | 1 044 | 443 | 199 | 0 | 11 040 |
| 12 | 354 | 273 | 10 | 2 | 0 | 917 |
| 43 | 238 | 210 | 60 | 4 | 0 | 713 |
| 0 | 5 | 0 | 0 | 0 | 0 | 5 |
| 0 | 0 | 0 | 0 | . 0 | 0 | 0 |
| 89 | 0 | 0 | 0 | 0 | 0 | 240 |
| 1 | 1 | 1 | 0 | 0 | 0 | 4 |
| 145 | 598 | 484 | 70 | 5 | 0 | 1 879 |
| 51 | 22 | 47 | 38 | 0 | 0 | 276 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 279 | 261 | 164 | 63 | 20 | 0 | 1 467 |
| 281 | 245 | 218 | 50 | 8 | 0 | 1 214 |
| 1 572 | 15 | 0 | 0 | 0 | 0 | 39 459 |
| 4 448 | 3 316 | 1 940 | 506 | 272 | 0 | 25 119 |
| 48 | 701 | 716 | 73 | 0 | 0 | 1 548 |
| 1 308 | 0 | 0 | 0 | 0 | 0 | 50 447 |
| 220 | 199 | 235 | 97 | 69 | 0 | 902 |
| 8 207 | 4 760 | 3 319 | 828 | 369 | 0 | 120 432 |
| 4 | 17 | 194 | 161 | 10 | 0 | 800 |
| 12 216 | 7 488 | 5 041 | 1 502 | 584 | 0 | 134 151 |



REGIONAL SUMMARY

| | | 2007 (fi | nal) | | 2008 (preliminary) | | | | |
|----------------------------|-------|----------|-------|--------|--------------------|-------|--------|-------|--|
| Species | Nover | mber | Cumu | lative | Novemb | er | Cumula | ative | |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value | |
| Cod | | | | | , | | | | |
| | | | | | | | | | |
| Gill net | 0 | 0 | 1 060 | 1 272 | 0 | 0 | 907 | 998 | |
| Longline | 1 | 1 | 877 | 1 181 | 2 | • | 835 | 1 18 | |
| Handline | 0 | 0 | 32 | 37 | | | 25 | 3 | |
| Bottom otter trawl (stern) | 19 | 23 | 247 | 318 | 149 | 192 | 393 | 51 | |
| Midwater trawl (stern) | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 1 | |
| Shrimp trawl | * | 4 | * | * | 0 | 0 | * | | |
| Danish seine | 0 | 0 | 181 | 214 | 0 | 0 | 230 | 29 | |
| Scottish seine | 0 | 0 | 19 | 27 | 0 | 0 | 13 | 1 | |
| Species total | 20 | 24 | 2 416 | 3 050 | 152 | 193 | 2 414 | 3 06 | |
| Redfish | | | | | | | | | |
| Gill net | 0 | 0 | 5 | 4 | 0 | 0 | 9 | | |
| Longline | 0 | 0 | 1 | 1 | 0 | 0 | 2 | | |
| Japanese trap | 0 | 0 | | * | 0 | 0 | 0 | | |
| Bottom otter trawl (stern) | * | | 66 | 47 | | | 130 | 10 | |
| Shrimp trawl | 0 | 0 | | | 0 | 0 | 0 | | |
| Scottish seine | 0 | 0 | | | 0 | 0 | 141 | 13 | |
| Species total | • | • | 72 | 52 | | * | 281 | 2 | |
| American plaice | | | | | | | | | |
| | | | | | | | | | |
| Gill net | 0 | 0 | 37 | 32 | 0 | 0 | 59 | | |
| Longline | 0 | 0 | 3 | 2 | 0 | 0 | 3 | | |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | * | | |
| Stationary lift net | 0 | 0 | 4 | | 0 | 0 | 0 | | |
| Bottom otter trawl (stern) | | | 5 | 4 | * | | 5 | | |
| Midwater trawl (stern) | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| Shrimp trawl | 0 | 0 | | 0 | 0 | 0 | * | | |
| Danish seine | 0 | 0 | 2 | 1 | 0 | 0 | 5 | | |
| Scottish seine | 0 | 0 | 49 | 38 | 0 | 0 | 9 | | |
| Species total | | 9 | 96 | 77 | | | 80 | | |
| Greenland halibut | | | | | | | | | |
| Gill net | 0 | 0 | 2 989 | 5 566 | 2 | 4 | 2 842 | 5 5 | |
| Longline | 0 | 0 | 22 | 38 | 0 | 0 | 54 | 1 | |
| Bottom otter trawl (stern) | ŵ | * | 16 | 31 | | * | 27 | | |

REGIONAL SUMMARY

| | | 2007 (1 | inal) | | | 2008 (preli | minary) | |
|----------------------------|------|---------|-------|--------|--------|-------------|---------|--------|
| Species | Nove | mber | Cumu | lative | Novemb | er | Cumu | lative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Valu |
| Shrimp trawl | 1 | 1 | 2 | 4 | 0` | 0 | . 2 | |
| Danish seine | 0 | 0 | * | | 0 | 0 | 0 | |
| Scottish seine | 0 | 0 | 1 | 1 | 0 | 0 | 17 | 3 |
| Species total | 1 | 2 | 3 029 | 5 641 | 2 | 5 | 2 942 | 5 77 |
| Unspecified groundfish | | | | | | | | |
| Gill net | 0 | 0 | 66 | 249 | 0 | 0 | 85 | 33 |
| Longline | 0 | 0 | 151 | 870 | 0 | 0 | 197 | 1 13 |
| Handline | 0 | 0 | | 1 | 0 | 0 | | |
| Stationary lift net | 0 | 0 | 3 | 3 | 0 | 0 | 5 | |
| Bottom otter trawl (stern) | 1 | 1 | 247 | 295 | 1 | 2 | 205 | 27 |
| Shrimp trawl | * | 1 | 2 | 11 | 0 | 0 | 3 | 2 |
| Danish seine | 0 | 0 | * | * | 0 | 0 | * | |
| Scottish seine | 0 | 0 | 270 | 305 | 0 | 0 | 112 | 13 |
| Species total | 1 | 1 | 740 | 1 735 | 1 | 2 | 607 | 1 89 |
| Total Groundfish | 22 | 27 | 6 353 | 10 553 | 155 | 199 | 6 324 | 11 04 |
| Herring | | | | | | | | |
| Gill net | 0 | 0 | 3 423 | 983 | 0 | 0 | 2 438 | 86 |
| Trap | * | . * | 30 | 13 | 1 | 2 | 310 | 4 |
| Fixed gear | 0 | 0 | • | * | 0 | 0 | 23 | |
| Bottom otter trawl (stern) | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Shrimp trawl | 0 | 0 | | * | 0 | 0 | | |
| Purse seine | 0 | 0 | 0 | 0 | 0 | 0 | 4 | |
| Species total | • | * | 3 453 | 996 | 1 | 2 | 2 775 | 91 |
| Mackerel | | | | | | | | |
| Gill net | 0 | 0 | 601 | 363 | 2 | 1 | 409 | 24 |
| Handline | 5 | 2 | 479 | 204 | 5 | 3 | 880 | 46 |
| Trap | 0 | 0 | 3 | 1 | 0 | 0 | 20 | -10 |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 4 | |
| Purse seine | 0 | 0 | 16 | 4 | 0 | 0 | 0 | |
| Species total | 5 | 2 | 1 098 | 572 | 7 | 4 | 1 313 | 71 |

REGIONAL SUMMARY

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

| | | 2007 (1 | final) | | | 2008 (preliminary) | | | | | |
|----------------------------------|------|---------|--------|--------|---|--------------------|-------|--------|--------|--|--|
| Species | Nove | mber | Cumu | lative | | Novemb | per | Cumui | ative | | |
| Gear | Qty | Value | Qty | Value | | Qty | Value | Qty | Value | | |
| Unspecified, other fish | | | | | | × | | | | | |
| Beach and bar seine | 0 | 0 | 133 | 30 | | 0 | 0 | 54 | 8 | | |
| Gill net | 1 | 5 | 12 | 31 | | 0 | 0 | 3 | 2 | | |
| Longline | 0 | 0 | 1 | 1 | | 0 | 0 | 2 | 2 | | |
| Handline | 0 | 0 | 9 | 9 | | 0 | 0 | 0 | (| | |
| Trap | 0 | 0 | 776 | 237 | | 0 | 0 | 1 290 | 231 | | |
| Weir | 0 | 0 | 12 | 76 | | 0 | 0 | 0 | (| | |
| Bottom otter trawl (stern) | 0 | 0 | 1 | 1 | | 0 | 0 | 1 | | | |
| Scottish seine | 0 | 0 | w | 0 | | 0 | 0 | 0 | (| | |
| Purse seine | 0 | 0 | 16 | 3 | | 0 | 0 | 0 | (| | |
| Troller line | 0 | 0 | 0 | 0 | | 0 | 0 | | | | |
| Species total | 1 | 5 | 951 | 381 | | 0 | 0 | 1 349 | 24 | | |
| Total Pelagic and Estuarial fish | 6 | 8 | 5 502 | 1 948 | | 8 | 5 | 5 437 | 1 879 | | |
| Scallop | | | | | | | | | | | |
| Drag | 20 | 26 | 882 | 1 762 | | 12 | 20 | 827 | 1 467 | | |
| Species total | 20 | 26 | 882 | 1 762 | | 12 | 20 | 827 | 1 46 | | |
| Lobster | | | | | | | | | | | |
| Pot | 0 | 0 | 3 232 | 44 223 | | 0 | 0 | 3 455 | 39 459 | | |
| Species total | 0 | 0 | 3 232 | 44 223 | , | 0 | 0 | 3 455 | 39 45 | | |
| Shrimp | | | | | | | | | | | |
| Shrimp trawl | 318 | 339 | 18 046 | 18 069 | | 188 | 272 | 21 465 | 25 11 | | |
| Species total | 318 | 339 | 18 046 | 18 069 | | 188 | 272 | 21 465 | 25 11 | | |
| Rock crab | | | | | | | | | | | |
| Pot | 0 | 0 | 1 163 | 979 | | 0 | 0 | 841 | 73 | | |
| Rock crab trap (3 feet) | 2 | 1 | 404 | 339 | | 0 | 0 | 505 | 429 | | |

Rock crab trap (4 feet)......

385

339

0

432

381

REGIONAL SUMMARY

| | | 2007 (| final) | | | 2008 (preli | minary) | |
|--------------------------------------|------|--------|--------|---------|--------|-------------|---------|---------|
| Species | Nove | mber | Cumi | ulative | Novemb | er | Cumu | lative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| | | | | 1 | , | | | |
| Species total | 2 | 2 | 1 953 | 1 658 | 0 | 0 | 1 778 | 1 54 |
| Snow crab | | | | | | | | |
| Japanese trap | 0 | 0 | 2 378 | 9 090 | 0 | 0 | 2 412 | 8 274 |
| Rectangular trap | 0 | 0 | 31 | 117 | 0 | 0 | 1 | 4 |
| Conical trap | 0 | 0 | 7 159 | 29 621 | 0 | 0 | 6 531 | 23 467 |
| Pyramidal trap | 0 | 0 | 6 | 31 | 0 | 0 | 2 | 7 |
| Mix of trap - crab | 0 | 0 | 4 332 | 20 200 | 0 | 0 | 3 992 | 16 512 |
| Fixed gear | 0 | 0 | 829 | 3 907 | 0 | 0 | 525 | 2 182 |
| Species total | 0 | 0 | 14 736 | 62 966 | 0 | 0 | 13 463 | 50 44 |
| Unspecified crustaceans | | | | | , | | | |
| Diving with hand tool | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 6 |
| Hand and hand held tools | 0 | 0 | 33 | 35 | 0 | 0 | 11 | 13 |
| Trap | 0 | 0 | 887 | 902 | 0 | 0 | 0 | (|
| Pot | 10 | 8 | 195 | 152 | 7 | 8 | 1 019 | 1 063 |
| Conical trap | 0 | 0 | 0 | 0 | 0 | 0 | 213 | 197 |
| Pyramidal trap | 0 | 0 | 0 | 0 | 0 | 0 | 42 | 48 |
| Automatic gear | 1 | 3 | 4 | 6 | 3 | 4 | 3 | 4 |
| Trap for whelk (0,15 cubic metre an | 0 | 0 | 0 | 0 | 0 | 0 | 9 | |
| Trap for whelk (0,15 to 0,30 cubic m | 21 | 22 | 376 | 396 | 0 | 0 | 0 | (|
| Rakes & tongs | | | 279 | 418 | 0 | 0 | 176 | 274 |
| Mix of trap - crab | 0 | 0 | 0 | 0 | 0 | 0 | 46 | 35 |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Drag | 35 | 39 | 745 | 606 | 57 | 66 | 1 002 | 752 |
| Species total | 68 | 72 | 2 519 | 2 516 | 67 | 78 | 2 517 | 2 39 |
| otal Molluscs et Crustaceans | 408 | 439 | 41 368 | 131 194 | 268 | 369 | 43 505 | 120 432 |
| Inspecified items | | | | | | | | |
| Diving with hand tool | 140 | 201 | 733 | 938 | 5 | 10 | 447 | 764 |
| Miscellaneous | 0 | 0 | | | 0 | 0 | 0 | 0 |
| Gill net | 0 | 0 | 9 | 24 | 0 | 0 | 8 | 33 |
| Drag | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 |
| Species total | 140 | 201 | 743 | 962 | 5 | 10 | 457 | 800 |

REGIONAL SUMMARY

2007 (final)

674

576

Quebec region total:

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)


2008 (preliminary)


55 723 134 151

436

| pecies | November | | Cumulative | | Novem | November | | lative |
|--------|----------|-------|------------|-------|-------|----------|-----|--------|
| Gear | Qty Valu | Value | Qty | Value | Qty | Value | Qty | Value |
| | | | | | | | | |

53 966 144 658





UPPER NORTH-SHORE

TADOUSSAC TO GALLIX

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

| | Noven | nber | Cumul | ative | Nover | nber | Cumula | itive | Variation of Cumu | |
|----------------------------------|-------|-------|-------|-------|-------|-------|--------|-------|-------------------|-------|
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | | | 2 | 4 | | | | | -99 | -99 |
| Haddock | | | | | • | 40 | • | 60 | N/A | N/A |
| Redfish | | • | | 0 | - | | | | N/A | N/A |
| Atlantic halibut | | 10 | 1 | 8 | - | • | 1 | 4 | -46 | -50 |
| American plaice | - | | 2 | 2 | | | 5 | 5 | 246 | 243 |
| Greysole (Witch) | - | | 60 | | • | | | | N/A | N/A |
| Winter flounder | | | | | | | | | N/A | N/A |
| Greenland halibut | - | | 76 | 144 | - | | 79 | 156 | 4 | 8 |
| Unspecified flounders | - | - | | | | - | | | N/A | N/A |
| White hake | | | | | | | | | N/A | N/A |
| Catfish | | | | | | | - | | N/A | N/A |
| Other Groundfish | - | | - | - | | 6 | - | | N/A | N/A |
| Office Groundistr | | | | | | | | | | |
| Total Groundfish | - | | 81 | 157 | | | 86 | 165 | 5 | 5 |
| Herring | | | 18 | 12 | | • | | - | N/A | N/A |
| Mackerel | | | | - | | | | | N/A | N/A |
| Tuna, Bluefin | - | | - | | | | | sa. | N/A | N/A |
| Smelt | _ | | | | | | - | | N/A | N/A |
| Capelin | | | e | | | e | | | N/A | N/A |
| Other Pelagic and Esturial fish | | | 1 | 6 | | | 1 | ۰ | -25 | -36 |
| Total Pelagic and Esturial fish | - | - | 20 | 13 | | | 1 | | -95 | -98 |
| Soft-shell Clam | - | | 279 | 418 | | | 176 | 274 | -37 | -35 |
| Ocean quahaug | | | | | | - | | | N/A | N/A |
| Scallop | | | | | | | - | | N/A | N/A |
| Whelk | | | 145 | 137 | | - | 70 | 69 | -52 | -50 |
| Lobster | - | - | - | | | | | | N/A | N/A |
| Shrimp | 15 | 45 | 138 | 459 | 18 | 59 | 80 | 263 | -42 | -43 |
| Rock crab | | | 12 | 9 | | | 18 | 14 | 46 | 46 |
| Snow crab | | | 1 021 | 3 856 | | - | 770 | 2 552 | -25 | -34 |
| Other Molluscs and Crustaceans | | | 127 | 93 | 0 | | 104 | 83 | -19 | -11 |
| Office Moliuses and Ordstaces of | | | | | | | | | | |
| Total Molluscs and Crustaceans | 15 | 45 | 1 722 | 4 973 | 18 | 59 | 1 217 | 3 254 | -29 | -35 |
| Other Item | 140 | 201 | 667 | 821 | | | 239 | 329 | -64 | -60 |
| Total | 156 | 246 | 2 490 | 5 963 | 18 | 59 | 1 543 | 3 748 | -38 | -37 |

MIDDLE NORTH-SHORE

SEPT-ILES TO POINTE-PARENT, INCLUDING ANTICOSTI ISLAND

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

| | Nover | nber | Cum | ulative | Nover | mber | Cumu | lative | Variation of Cumi | |
|---------------------------------|-------|-------|-------|---------|-------|-------|-------|--------|-------------------|-------|
| Species | Qty. | Value | Qty | . Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | - | • | 16 | 25 | - | • | 11 | 16 | -35 | -38 |
| Haddock | - | | - | - | | | | - | N/A | N/A |
| Redfish | - | | - | * | - | - | 2 | 1 | N/A | N/A |
| Atlantic halibut | - | - | 10 | 65 | • | - | 16 | 100 | 61 | 55 |
| American plaice | - | | 2 | 2 | | | 2 | 2 | -22 | -22 |
| Greysole (Witch) | | | | | - | - | - | - | N/A | N/A |
| Winter flounder | | | | | | | • | | N/A | N/A |
| Greenland halibut | | | 191 | 355 | | | 187 | 365 | -2 | 3 |
| Unspecified flounders | - | - | - | | | | | | N/A | N/A |
| White hake | | - | | | | | - | | -77 | -66 |
| Catfish | | | | | - | - | | | N/A | N/A |
| Other Groundfish | - | | - | | - | • | | - | N/A | N/A |
| Total Groundfish | - | - | 220 | 447 | • | | 218 | 483 | -1 | 8 |
| Herring | | | 32 | 22 | | | 4 | 3 | -87 | -87 |
| Mackerel | _ | - | - | - | | | | | N/A | N/A |
| Tuna, Bluefin | | - | a | | | | | | N/A | N/A |
| Smelt | - | - | | | | | | | N/A | N/A |
| Capelin | - | - | | | - | | | | N/A | N/A |
| Other Pelagic and Esturial fish | - | | - | | | • | ۰ | • | N/A | N/A |
| Total Pelagic and Esturial fish | - | | 32 | 22 | - | - | 4 | 3 | -87 | -87 |
| Soft-shell Clam | | ٠, | 1 | 1 | 6 | | | | N/A | N/A |
| Ocean quahaug | G= | | - | | ۰ | | | | N/A | N/A |
| Scallop | 20 | 26 | 371 | 492 | 12 | 20 | 336 | 537 | -9 | 9 |
| Whelk | - | | 418 | 416 | 1 | 1 | 421 | 419 | 1 | 1 |
| Lobster | | | 27 | 365 | | 60 | 34 | 393 | 27 | 8 |
| Shrimp | | | 81 | 209 | 6 | 15 | 126 | 359 | 55 | 72 |
| Rock crab | | | 161 | 125 | | | 131 | 101 | -19 | -19 |
| Snow crab | - | - | 4 046 | 16 247 | | | 4 094 | 14 069 | 1 | -13 |
| Other Molluscs and Crustaceans | 1 | 3 | 485 | 356 | 11 | 11 | 544 | 442 | 12 | 24 |
| Total Molluscs and Crustaceans | 21 | 29 | 5 590 | 18 211 | 30 | 47 | 5 687 | 16 320 | 2 | -10 |
| Other Item | ٠ | | 3 | 3 | - | | 18 | 13 | 518 | 331 |
| Total | 21 | 29 | 5 845 | 18 683 | 30 | 47 | 5 927 | 16 819 | 1 | -10 |

LOWER NORTH-SHORE

KEGASKA TO BLANC-SABLON

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

| | Nover | mber | Cumu | lative | Nover | nber | Cumul | ative | Variatio of Cum | |
|---------------------------------|-------|-------|-------|---------|-------|-------|-------|-------|--------------------|-------|
| Species | Qty. | Value | Qty. | Value . | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | | | 1 002 | 1 171 | - | | 797 | 820 | -20 | -30 |
| Haddock | | | | | - | | | | N/A | N// |
| Redfish | - | | | | | | | | 100 | 100 |
| Atlantic halibut | - | - | 12 | 78 | | | 14 | 82 | 9 | |
| American plaice | - | | | | | | | | N/A | N/A |
| Greysole (Witch) | | | - | e | | - | | | N/A | N/A |
| Winter flounder | | | | - | | - | | | N/A | N/A |
| Greenland halibut | | | 319 | 565 | | | 261 | 499 | -18 | -13 |
| Unspecified flounders | - | | - | | • | - | - | | N/A | N// |
| White hake | | - | | | | | | - | N/A | N/A |
| Catfish | - | | - | | | - | | - | N/A | N/A |
| Other Groundfish | ۰ | | • | - | ۰ | • | • | - | N/A | N/A |
| Total Groundfish | 0 | - | 1 334 | 1 813 | | . • | 1 071 | 1 401 | -20 | -23 |
| Herring | | | 69 | 14 | • | | 375 | 51 | 441 | 27 |
| Mackerel | - | | 21 | 6 | - | | 23 | 6 | 8 | 1 |
| Tuna, Bluefin | | | | | | | - | | N/A | N/ |
| Smelt | | | | | | | - | | N/A | N/ |
| Capelin | | | 884 | 208 | | - | 1 310 | 189 | 48 | |
| Other Pelagic and Esturial fish | | • | • | • | 40 | - | - | 1 | 143 | 16 |
| Total Pelagic and Esturial fish | - | | 974 | 228 | - | | 1 709 | 247 | 75 | |
| Soft-shell Clam | | - 1 | | - | | | - | | N/A | N/ |
| Ocean quahaug | | | | | | | - | | N/A | N/ |
| Scallop | | | 67 | 87 | | | 120 | 155 | 80 | 7 |
| Whelk | | | 21 | 19 | | 40 | 24 | 25 | 18 | 3 |
| Lobster | | | 25 | 282 | 40 | - | 22 | 240 | -12 | -1 |
| Shrimp | | - | 1 406 | 1 314 | - | - | 2 221 | 2 427 | 58 | 8 |
| Rock crab | | | | | | | | | N/A | N/ |
| Snow crab | - | | 1 232 | 4 548 | | - | 1 419 | 4 693 | 15 | |
| Other Molluscs and Crustaceans | | ٠ | ۰ | | | • | 1 | 1 | N/A | N/ |
| Total Molluscs and Crustaceans | | • | 2 750 | 6 252 | - | - | 3 808 | 7 541 | 38 | 2 |
| Other Item | - | | 9 | 24 | • | - | 8 | 33 | -16 | 3 |
| Total | | - | 5 067 | 8 316 | | | 6 596 | 9 221 | 30 | 1 |

NORTH-SHORE

| | | 200 | 7 (final) | | | 2008 (p | eliminary |) | V-i-ti- | - (9/) |
|---------------------------------|-------|-------|-----------|---------|-------|---------|-----------|--------|-----------------------------|--------|
| | Nover | nber | Cum | ulative | Noven | nber | Cumu | lative | Variation (%) of cumulative | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | | - | 1 021 | 1 200 | - | | 808 | 836 | -21 | -30 |
| Haddock | | • | | - | - | | | • | N/A | N/A |
| Redfish | - | • | - | - | | | 2 | 1 | N/A | N/A |
| Atlantic halibut | | | 24 | 150 | | -00 | 31 | 186 | 28 | 24 |
| American plaice | | • | 4 | 4 | - | | 7 | 7 | 89 | 89 |
| Greysole (Witch) | - | | - | | | | - | - | N/A | N/A |
| Ninter flounder | - | | - | | | | - | | N/A | N/A |
| Greenland halibut | - | | 587 | 1 064 | | | 527 | 1 020 | -10 | -4 |
| Unspecified flounders | | | | | | 40 | | | N/A | N/A |
| White hake | | | | | | | | | 949 | N/A |
| Catfish | - | - | | - | | | | | N/A | N/A |
| Other Groundfish | | - | - | • | ۰ | | 9 | • | N/A | N/A |
| Total Groundfish | - | • | 1 636 | 2 417 | - | • | 1 375 | 2 049 | -16 | -15 |
| Herring | - | | 120 | 48 | | | 380 | 54 | 216 | 14 |
| Mackerel | - | | 21 | 6 | | | 23 | 6 | 8 | 11 |
| una, Bluefin | - | - | | | | - | - | | N/A | N/A |
| Smelt | - | - | | - | | | | - | N/A | N/A |
| Capelin | - | - | 884 | 208 | | | 1 310 | 189 | 48 | -9 |
| Other Pelagic and Esturial fish | | 0 | 1 | 1 | | - | 1 | 1 | -15 | 66 |
| Total Pelagic and Esturial fish | - | | 1 026 | 262 | - | | 1 714 | 250 | 67 | -4 |
| Soft-shell Clam | | | 279 | 419 | | | 176 | 274 | -37 | -35 |
| Ocean quahaug | | | - | - | | - | - | - | N/A | N/A |
| Scallop | 20 | 26 | 437 | 579 | 12 | 20 | 456 | 692 | 4 | 20 |
| Vhelk | | | 584 | 573 | 1 | 2 | 515 | 513 | -12 | -10 |
| obster | - | | 52 | 648 | | | 56 | 633 | 8 | -2 |
| Shrimp | 15 | 45 | 1 625 | 1 982 | 24 | 73 | 2 427 | 3 050 | 49 | 54 |
| Rock crab | - | - | 174 | 134 | | | 148 | 115 | -14 | -15 |
| Snow crab | | | 6 299 | 24 652 | | - | 6 284 | 21 313 | 0 | -14 |
| Other Molluscs and Crustaceans | 1 | 3 | 612 | 448 | 11 | 11 | 649 | 526 | 6 | 17 |
| otal Molluscs and Crustaceans | 37 | 74 | 10 061 | 29 436 | 48 | 105 | 10 711 | 27 114 | 6 | -8 |
| Other Item | 140 | 201 | 679 | 848 | - | - | 265 | 374 | -61 | -56 |
| otal | 177 | 275 | 13 402 | 32 962 | 48 | 105 | 14 065 | 29 788 | 5 | -10 |

QUEBEC MARINE FISHERIES CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, NOVEMBER 2008 QUEBEC REGION

* PRELIMINARY *

NORTH-SHORE

| Species | Less tha | an 35' | 35' - 6 | 4'11" | 65' and | over | Total by | by species | |
|----------------------------------|----------|--------|----------|--------|----------|-------|----------|------------|--|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value | |
| | | | | | | | | | |
| Cod | 681 | 708 | 126 | 128 | 0 | 0 | 808 | 83 | |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Redfish | 1 | 0 | 2 | 1 | 0 | 0 | 2 | • | |
| Atlantic halibut | 7 | 42 | 23 | 143 | 0 | 0 | 31 | 180 | |
| American plaice | 1 | 1 | 6 | 6. | 0 | 0 | 7 | | |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (| |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (| |
| Greenland halibut | 131 | 252 | 396 | 768 | 0 | 0 | 527 | 1 020 | |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (| |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - (| |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | |
| Other Groundfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Total Groundfish | 821 | 1 003 | 554 | 1 046 | 0 | 0 | 1 375 | 2 04 | |
| Herring | 356 | 49 | 24 | 5 | . 0 | 0 | 380 | 5 | |
| Mackerel | 18 | 5 | 5 | 1 | 0 | 0 | 23 | | |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (| |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Capelin | 946 | 137 | 365 | 52 | 0 | 0 | 1 310 | 18 | |
| Other Pelagic and Estuarial fish | . 0 | 1 | 1 | 0 | 0 | 0 | 1 | | |
| Total Pelagic and Estuarial fish | 1 320 | 192 | 394 | 58 | 0 | 0 | 1 714 | 25 | |
| Soft-shell Clam | 176 | 274 | 0 | 0 | 0 | 0 | 176 | 274 | |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (| |
| Scallop | 46 | 59 | 410 | 633 | 0 | 0 | 456 | 693 | |
| Whelk | 306 | 305 | 209 | 208 | 0 | 0 | 515 | 513 | |
| Lobster | 32 | 346 | 25 | 287 | 0 | 0 | 56 | 633 | |
| Shrimp | 0 | . 0 | 1 597 | 2 132 | 830 | 917 | 2 427 | 3 05 | |
| Rock crab | 82 | 64 | 66 | 51 | 0 | 0 | 148 | 11: | |
| Snow crab | 373 | 1 274 | 5 911 | 20 040 | 0 | 0 | 6 284 | 21 31 | |
| Other Molluscs and Crustaceans | 77 | 61 | 572 | 465 | 0 | 0 | 649 | 52 | |
| Total Molluscs and Crustaceans | 1 092 | 2 382 | 8 790 | 23 815 | 830 | 917 | 10 711 | 27 11 | |
| Other items | 136 | 202 | 128 | 172 | 0 | 0 | 265 | 37 | |
| Total | 3 369 | 3 778 | 9 867 | 25 092 | 830 | 918 | 14 065 | 29 78 | |

*PRELIMINARY *

NORTH-SHORE

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|----------------------------------|---------|----------|-------|-------|-------|-------|
| Cod | 0 | 0 | 0 | 0 | 0 | 24 |
| Haddock | 0 | 0 | 0 | 0 | . 0 | 0 |
| Redfish | 0 | . 0 | 0 | 0 | 0 | 1 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 1 | 4 |
| American plaice | 0 | 0 | 0 | .0 | 0 | 0 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 0 | 68 | 120 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Groundfish | 0 | 0 | 0 | 0 | 69 | 149 |
| Herring | 0 | 0 | 0 | 0 | 1 | 5 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | . 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 674 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| Fotal Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 1 | 679 |
| Soft-shell Clam | 0 | 0 | 0 | 24 | 25 | 25 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 0 | 4 | 35 |
| Whelk | 0 | 0 | 0 | 16 | 90 | 118 |
| obster | 0 | 0 | 0 | 0 | 12 | 26 |
| Shrimp | 0 | 0 | 0 | 310 | 470 | 547 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 2 |
| Snow crab | 0 | 0 | . 0 | 1 672 | 2 756 | 1 547 |
| Other Molluscs and Crustaceans | 0 | . 0 | 0 | 0 | 0 | 29 |
| Total Molluscs et Crustaceans | 0 | 0 | 0 | 2 022 | 3 358 | 2 329 |
| Other items | 9 | 0 | 3 | 175 | 53 | 7 |
| Total | 9 | 0 | 3 | 2 197 | 3 481 | 3 165 |

* PRELIMINARY *

NORTH-SHORE

| _ | JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|---|-------|--------|-----------|---------|----------|----------|--------|
| | 695 | 72 | 14 | 3 | 0 | 0 | 808 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 0 | 0 | 0 | 0 | 0 | 2 |
| | 13 | 12 | 0 | 0 | 0 | 0 | 31 |
| | 4 | 2 | 1 | 0 | 0 | . 0 | 7 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 290 | 45 | 4 | 0 | 0 | 0 | 527 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 004 | 131 | 19 | 3 | 0 | 0 | 1 375 |
| | 64 | 310 | 0 | 0 | 0 | 0 | 380 |
| | 5 | 18 | 0 | 0 | 0 | 0 | 23 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0. | 0 | 0 |
| | 637 | 0 | 0 | 0 | 0 | 0 | 1 310 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | 706 | 328 | 0 | 0 | 0 | 0 | 1 714 |
| | 33 | 14 | 30 | 25 | 0 | 0 | 176 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 101 | 163 | 99 | 41 | 12 | 0 | 456 |
| | 136 | 72 | 71 | 11 | 1 | 0 | 515 |
| | 17 | 1 | 0 | 0 | 0 | 0 | 56 |
| | 605 | 388 | 69 | 14 | 24 | 0 | 2 427 |
| | 48 | 51 | 48 | 1 | 0 | 0 | 148 |
| | 308 | 0 | 0 | 0 | 0 | 0 | 6 284 |
| | 196 | 187 | 183 | 43 | 11 | 0 | 649 |
| | 1 445 | 877 | 499 | 133 | 48 | 0 | 10 711 |
| | 0 | 1 | 0 | 17 | 0 | 0 | 265 |
| | 3 155 | 1 337 | 518 | 152 | 48 | 0 | 14 065 |
| | 3 100 | 1 337 | 310 | 152 | 40 | U | 14 003 |

* PRELIMINARY *

NORTH-SHORE

Value ('000) (Excluding non commercial fisheries)


| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|----------------------------------|---------|----------|-------|-------|--------|-------|
| Cod | 0 | 0 | 0 | 0 | 0 | 23 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 7 | 25 |
| American plaice | 0 | 0 | 0 | - 0 | 0 | 0 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Winter flounder | 0 | 0 | 0 | 0 | 0 | 0 |
| Greenland halibut | 0 | 0 | 0 | 0 | 139 | 227 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Groundfish | 0 | 0 | 0 | 0 | 146 | 276 |
| Herring | 0 | 0 | 0 | 0 | 1 | 2 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 0 |
| una, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | . 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 100 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 1 |
| otal Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 1 | 103 |
| Soft-shell Clam | 0 | 0 | 0 | 39 | 39 | 39 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| callop | 0 | 0 | 0 | 0 | 7 | 55 |
| Vhelk | 0 | 0 | 0 | 15 | 88 | 117 |
| obster | 0 | 0 | 0 | 0 | 150 | 283 |
| hrimp | 0 | 0 | 0 | 617 | 607 | 610 |
| Rock crab | 0 | 0 | 0 | 0 | 0 | 1 |
| now crab | 0 | 0 | 0 | 5 659 | 9 374 | 5 255 |
| Other Molluscs and Crustaceans | 0 | . 0 | 0 | 0 | 0 | 21 |
| otal Molluscs and Crustaceans | 0 | 0 | 0 | 6 329 | 10 266 | 6 381 |
| Other items | 13 | 0 | 4 | 232 | 82 | 31 |
| otal | 13 | | 4 | 6 561 | 10 493 | 6 791 |

*PRELIMINARY *

NORTH-SHORE

Value ('000) (Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|-------|--------|-----------|---------|----------|----------|--------|
| 720 | 75 | 15 | 3 | 0 | 0 | 836 |
| 0 | 0 | 0 | 0 | 0 | 0 . | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 80 | 72 | 2 | 0 | 0 | 0 | 186 |
| 4 | 2 | 1 | 0 | 0 | . 0 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 558 | 88 | 8 | 0 | 0 | 0 | 1 020 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 362 | 237 | 25 | 3 | 0 | 0 | 2 049 |
| 10 | 42 | 0 | 0 | 0 | 0 | 54 |
| 1 | 5 | 0 | 0 | 0 | 0 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 . | 0 | 0 |
| 89 | 0 | 0 | 0 | 0 | 0 | 189 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 100 | 47 | 0 | 0 | 0 | 0 | 250 |
| 51 | 22 | 46 | 38 | 0 | 0 | 274 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 162 | 239 | 146 | 63 | 20 | 0 | 692 |
| 136 | 73 | 71 | 12 | 2 | 0 | 513 |
| 185 | 14 | 0 | 0 | 0 | 0 | 633 |
| 617 | 409 | 77 | 40 | 73 | 0 | 3 050 |
| 37 | 39 | 37 | 1 | 0 | 0 | 115 |
| 1025 | 0 | 0 | 0 | 0 | 0 | 21 313 |
| 155 | 152 | 150 | 37 | 11 | 0 | 526 |
| 2 367 | 948 | 528 | 190 | 105 | 0 | 27 114 |
| 0 | 0 | 0 | 13 | 0 | 0 | 374 |
| 3 830 | 1 232 | 553 | 206 | 105 | 0 | 29 788 |



NORTH-SHORE

| | | 2007 (| final) | | | | 2008 (preli | iminary) | |
|-------------------|-------|--------|--------|-------|---|-------|-------------|----------|-------|
| Species | Nover | nber | Cumul | ative | | Novem | nber | Cumuk | ative |
| Gear | Qty | Value | Qty | Value | | Qty | Value | Qty | Value |
| Cod | | | | | | | | | |
| Gill net | 0 | 0 | 968 | 1 140 | | 0- | 0 | 785 | 812 |
| Longline | 0 | 0 | 24 | 27 | | 0 | 0 | 12 | 13 |
| Handline | 0 | 0 | 29 | 33 | | 0 | 0 | 11 | 11 |
| Species total : | 0 | 0 | 1 021 | 1 200 | _ | 0 | 0 | 808 | 836 |
| Redfish | | | | | | | | | |
| Gill net | 0 | 0 | | * | | 0 | 0 | 2 | 1 |
| Shrimp trawl | 0 | 0 | * | • | | 0 | 0 | 0 | 0 |
| Species total : | 0 | 0 | * | • | _ | 0 | 0 | 2 | 1 |
| American plaice | | | | | | | | | |
| Gill net | 0 | 0 | 4 | 4 | | 0 | 0 | 7 | 7 |
| Longline | 0 | 0 | 0 | 0 | | 0 | 0 | | |
| Species total : | 0 | 0 | 4 | 4 | _ | 0 | 0 | 7 | 7 |
| Greenland halibut | | | | | | | | | |
| Gill net | 0 | 0 | 585 | 7 061 | | 0 | 0 | 527 | 1 019 |
| Longline | 0 | 0 | 1 | 2 | | 0 | 0 | 1 | 1 |
| Shrimp trawl | 0 | 0 | • | 1 | | 0 | 0 | 0 | 0 |
| Species total: | 0 | 0 | 587 | 1 064 | | 0 | 0 | 527 | 1 020 |
| OTHER GROUNDFISH | | | | | | | | | |
| Gill net | 0 | 0 | 9 | 59 | | 0 | 0 | 18 | 105 |
| Longline | 0 | 0 | 14 | 90 | | 0 | 0 | 12 | 78 |
| Handline | 0 | 0 | | | | 0 | 0 | | |
| Shrimp trawl | 0 | 0 | • | ٠ | | 0 | 0 | • | 2 |
| Species total : | 0 | 0 | 24 | 150 | - | 0 | 0 | 31 | 186 |
| Total Groundfish | 0 | 0 | 1 636 | 2 417 | | 0 | 0 | 1 375 | 2 049 |
| Herring | | | | | | | | | |
| Gill net | 0 | 0 | 96 | 44 | | 0 | 0 | 49 | 10 |
| Trap | 0 | 0 | 24 | 4 | | 0 | 0 | 307 | 41 |
| Fixed gear | 0 | 0 | 0 | 0 | | 0 | 0 | 20 | 3 |
| Purse seine | 0 | 0 | 0 | 0 | | 0 | 0 | 4 | |
| | | | | | | | | | |

NORTH-SHORE

| | | 2007 (| final) | | | 2008 (preliminary) | | | | |
|----------------------------------|-------|--------|--------|-------|-------|--------------------|--------|-------|--|--|
| Species | Nover | mber | Cumul | ative | Noven | nber | Curnul | ative | | |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value | | |
| Species total : | 0 | | 120 | 48 | 0° | | 380 | 54 | | |
| Mackerel | | | | | | | | | | |
| Gill net | 0 | 0 | 2 | * | 0 | 0 | 0 | 0 | | |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | * | | | |
| Trap | 0 | 0 | 3 | 1 | 0 | 0 | 20 | 6 | | |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 2 | | | |
| Purse seine | 0 | 0 | 16 | 4 | 0 | 0 | 0 | 0 | | |
| Species total : | 0 | 0 | 21 | 8 | 0 | 0 | 23 | 6 | | |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | | | |
| Beach and bar seine | 0 | 0 | 133 | 30 | 0 | 0 | 54 | 8 | | |
| Gill net | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 | | |
| Longline | 0 | 0 | * | * | . 0 | 0 | 0 | 0 | | |
| Trap | 0 | 0 | 735 | 174 | 0 | 0 | 1 257 | 181 | | |
| Purse seine | 0 | 0 | 16 | 3 | 0 | 0 | 0 | 0 | | |
| Species total : | 0 | 0 | 885 | 209 | 0 | 0 | 1 312 | 190 | | |
| Total Pelagic and Estuarial fish | 0 | 0 | 1 026 | 262 | 0 | 0 | 1 714 | 250 | | |
| Scallop | | | | | | | | | | |
| Drag | 20 | 26 | 437 | 579 | 12 | 20 | 456 | 692 | | |
| Species total : | 20 | 26 | 437 | 579 | 12 | 20 | 456 | 692 | | |
| Lobster | | | | | | | | | | |
| Pot | 0 | 0 | 52 | 648 | 0 | 0 | 56 | 633 | | |
| Species total : | 0 | 0 | 52 | 648 | 0 | 0 | 56 | 633 | | |
| Shrimp | | | | | | | | | | |
| Shrimp trawl | 15 | 45 | 1 625 | 1 982 | 24 | 73 | 2 427 | 3 050 | | |
| Species total : | 15 | 45 | 1 625 | 1 982 | 24 | 73 | 2 427 | 3 050 | | |
| Rock crab | | | | | | | | | | |
| Pot | 0 | 0 | 16 | 12 | 0 | 0 | 0 | 0 | | |
| Rock Crab trap (3 feet) | 0 | 0 | 157 | 122 | 0 | 0 | 148 | 115 | | |

NORTH-SHORE

| | | 2007 (| final) | | | 2008 (pre | liminary) | |
|--------------------------------|-------|--------|--------|--------|-------|-----------|-----------|--------|
| Species | Noven | nber | Cumul | ative | Noven | nber | Cumul | ative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Species total : | 0 | | 174 | 134 | | | 148 | 115 |
| Species total . | | | | | | | | |
| Snow crab | | | | | | | | |
| Japanese trap | 0 | 0 | 1 879 | 7 081 | 0 | 0 | 2 041 | 6 862 |
| Rectangular trap | 0 | 0 | 31 | 117 | 0 | 0 | 1 | 4 |
| Conical trap | 0 | 0 | 4 382 | 17 424 | 0 | 0 | 4 216 | 14 363 |
| Mix of trap - crab | 0 | 0 | 7 | 30 | 0 | 0 | 20 | 65 |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 20 |
| Species total : | 0 | 0 | 6 299 | 24 652 | 0 | 0 | 6 284 | 21 313 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 0 | 0 | 584 | 573 | 0 | 0 | 0 | (|
| Pot | 0 | 0 | 2 | 1 | 1 | 2 | 517 | 514 |
| Automatic gear | 1 | 3 | 4 | 6 | . 3 | 4 | 3 | 4 |
| Rakes & tongs | | | 279 | 418 | 0 | 0 | 176 | 274 |
| Drag | 0 | 0 | 607 | 442 | 8 | 7 | 644 | 521 |
| Species total : | 2 | 3 | 1 475 | 1 441 | 12 | 12 | 1 340 | 1 312 |
| Total Molluscs et Crustaceans | 37 | 74 | 10 061 | 29 436 | 48 | 105 | 10 711 | 27 114 |
| OTHER ITEMS | | | | | | | | |
| Diving with hand tool | 140 | 201 | 669 | 823 | 0 | 0 | 257 | 342 |
| Miscellaneous | 0 | 0 | 9 | | 0 | 0 | 0 | (|
| Gill net | 0 | 0 | 9 | 24 | 0 | 0 | 8 | 3: |
| Species total : | 140 | 201 | 679 | 848 | 0 | 0 | 265 | 37 |
| Sector total : | 177 | 275 | 13 402 | 32 962 | 48 | 105 | 14 065 | 29 78 |

GASPE-NORTH

BIC TO RIVIERE-LA-MADELEINE

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

| | Nover | nber | Cumu | lative | November Cumulative | | | Variation (%) of Cumulative | | |
|---------------------------------|-------|-------|-------|--------|---------------------|-------|-------|-----------------------------|------|-------|
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | | - | 32 | 50 | | | 5 | 8 | -85 | -85 |
| Haddock | | | * | * | | * | | | N/A | N/A |
| Redfish | * | | 2 | 1 | | | 2 | 2 | 3 | 13 |
| Atlantic halibut | | | 26 | 162 | | * | 33 | 211 | 30 | 30 |
| American plaice | * | | 19 | 18 | | | 17 | 16 | -14 | -13 |
| Greysole (Witch) | - | | | | | | | | N/A | N/A |
| Winter flounder | | | | | | * | | | N/A | N/A |
| Greenland halibut | * | | 1 163 | 2 174 | 2 | 4 | 1 173 | 2 303 | 1 | 6 |
| Unspecified flounders | * | | | | - | | - | | N/A | N/A |
| White hake | | | 1 | * | | * | 1 | * | -14 | -9 |
| Catfish | | | | * | | | * | | N/A | N/A |
| Other Groundfish | | | 2 | 1 | * | | 3 | 2 | 62 | 45 |
| Total Groundfish | | ~ | 1 245 | 2 408 | 2 | - 4 | 1 233 | 2 541 | -1 | 6 |
| Herring | | | 21 | 9 | | | 20 | 14 | -1 | 56 |
| Mackerel | | | | 1 | | | 3 | 5 | 818 | 606 |
| Tuna, Bluefin | | | | | | * | | | N/A | N/A |
| Smelt | | | | | | | | | N/A | N/A |
| Capelin | | | | | | | | | N/A | N/A |
| Other Pelagic and Esturial fish | - | | 14 | 77 | | | 1 | * | -95 | -100 |
| Total Pelagic and Esturial fish | - | - | 35 | 86 | - | | 24 | 19 | -30 | -78 |
| Soft-shell Clam | | ** | | | | | | | N/A | N/A |
| Ocean quahaug | - | - | - | | | | | | N/A | N/A |
| Scallop | | - | 6 | 12 | | | | | N/A | N/A |
| Whelk | - | | 302 | 327 | | | 279 | 312 | -8 | -5 |
| Lobster | | | | 2 | | | | | N/A | N/A |
| Shrimp | 15 | 19 | 6 102 | 6 386 | 88 | 111 | 6 408 | 7 859 | 5 | 23 |
| Rock crab | | | 25 | 20 | • | | 64 | 54 | 161 | 176 |
| Snow crab. | | | 1 219 | 4 495 | | | 972 | 3 440 | -20 | -23 |
| Other Molluscs and Crustaceans | - | * | 1 | 1 | | - | - | | N/A | N/A |
| Total Molluscs and Crustaceans | 15 | 19 | 7 655 | 11 242 | 88 | 111 | 7 724 | 11 665 | 1 | 4 |
| Other Item | | | - | | | - | - | | N/A | N/A |
| Total | 15 | 19 | 8 935 | 13 736 | 90 | 115 | 9.094 | 14 225 | 1 | |

GASPE-EAST

GRANDE VALLÉE TO CAP GASPÉ

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

2008 (preliminary)

| | Nover | mber | Cum | ulative | Noven | nber | Cumu | ative | | Variation (%) of Cumulative | |
|---------------------------------|-------|-------|--------|---------|-------|-------|--------|--------|------|-----------------------------|--|
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | |
| Cod | | - | 591 | 777 | 35 | 44 | 602 | 875 | 2 | 13 | |
| Haddock | - | | - | | 0 | | | | N/A | N// | |
| Redfish | | | 5 | 3 | | | 65 | 43 | N/A | N/ | |
| Atlantic halibut | - | 1 | 85 | 481 | | 1 | 103 | 581 | 21 | 2 | |
| American plaice | | | 14 | 9 | | | 35 | 25 | 146 | 17 | |
| Greysole (Witch) | | • | | • | | | | | NA | N/ | |
| Winter flounder | | | | | 0 | | | | N/A | N/ | |
| Greenland halibut | 1 | 1 | 1 077 | 2 024 | | • | 1 082 | 2 146 | 0 | | |
| Unspecified flounders | | | | | | | | | N/A | N/ | |
| White hake | | | 4 | 2 | | | 8 | 5 | 106 | 11 | |
| Catfish | | | | | | | | | -50 | -6 | |
| Other Groundfish | | | 1 | 1 | 0 | | 2 | 1 | 61 | 6 | |
| Total Groundfish | 1 | 2 | 1 777 | 3 298 | 35 | . 46 | 1 897 | 3 676 | 7 | 1 | |
| Herring | | | | - | | | | | N/A | N/ | |
| Mackerel | | | 49 | 32 | | | 8 | 4 | -84 | -8 | |
| Tuna, Bluefin | | | | | | | | | N/A | N/ | |
| Smelt | | | | | | | | | N/A | N/ | |
| Capelin | | | - | • | 0 | | | | N/A | N/ | |
| Other Pelagic and Esturial fish | | ٠ | • | - | ۰ | e | • | | -4 | N | |
| Total Pelagic and Esturial fish | | • | 49 | 32 | | • | 8 | 4 | -83 | -8 | |
| Soft-shell Clam | | • , | | - | | | | e | N/A | N | |
| Ocean quahaug | | | | | | | - | 40 | N/A | N/ | |
| Scallop | - | - | 13 | 35 | | | 4 | 12 | -68 | -6 | |
| Whelk | | | 1 | 1 | | | 1 | 1 | -11 | -1 | |
| Lobster | - | | 41 | 562 | | | 59 | 716 | 46 | 2 | |
| Shrimp | 288 | 275 | 10 319 | 9 700 | 77 | 88 | 12 630 | 14 210 | 22 | | |
| Rock crab | - | | 387 | 342 | | | 370 | 320 | -4 | | |
| Snow crab | | | 766 | 2 997 | | 4 | 441 | 1 796 | -42 | -4 | |
| Other Molluscs and Crustaceans | • | - | | | ٠ | | 201 | 53 | N/A | N | |
| Total Molluscs and Crustaceans | 288 | 275 | 11 526 | 13 636 | 77 | 88 | 13 705 | 17 108 | 19 | 2 | |
| Other Item | | - | - | 0 | • | - | | | N/A | N | |
| Total | 289 | 277 | 13 352 | 16 967 | 112 | 133 | 15 610 | 20 789 | 17 | 2 | |

GASPE-SOUTH

CAP-AUX-OS TO PORT DANIEL

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

2008 (preliminary)

| | Nover | mber | Cum | ulative | Nover | nber | Cumu | lative | Variation of Cumi | |
|---------------------------------|-------|-------|-------|---------|-------|-------|-------|--------|-------------------|-------|
| Species | Qty. | Value | Qty | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 20 | 24 | 681 | 888 | 110 | 138 | 899 | 1 193 | 32 | 34 |
| Haddock | | | | | | | | | N/A | N/A |
| Redfish | • | | 4 | 1 | | | 2 | 1 | -54 | -23 |
| Atlantic halibut | - | | 31 | 168 | | 1 | 45 | 249 | 46 | 48 |
| American plaice | - | | 6 | 5 | | | 12 | 9 | 106 | 88 |
| Greysole (Witch) | | 40 | | | | | 1 | | 85 | 164 |
| Winter flounder | | | - | | | | | | N/A | N/A |
| Greenland halibut | - | | 192 | 359 | | | 149 | 290 | -23 | -19 |
| Unspecified flounders | - | | | | | | | | N/A | N/A |
| White hake | | | 1 | 1 | | | 1 | | -49 | -40 |
| Catfish | - | | | | | | 3 | 1 | N/A | N/A |
| Other Groundfish | 1 | 1 | 2 | 1 | | | 1 | 1 | -34 | -41 |
| Total Groundfish | 21 | 25 | 918 | 1 424 | 111 | . 139 | 1 113 | 1 744 | 21 | 23 |
| Herring | | | 2 865 | 761 | | | 1 947 | 628 | -32 | -17 |
| Mackerel | | | 281 | 164 | 2 | 1 | 389 | 221 | 38 | 35 |
| Tuna, Bluefin | | | | | | - | | 5 | N/A | N/A |
| Smell | - | | | - | | - | | | N/A | N/A |
| Capelin | | | | | | - | | | N/A | N/A |
| Other Pelagic and Esturial fish | - | • | 2 | 1 | | | 2 | 1 | 32 | 4 |
| Total Pelagic and Esturial fish | - | 6 | 3 148 | 926 | 2 | 1 | 2 338 | 855 | -26 | -8 |
| Soft-shell Clam | | - , | | • | | | | | N/A | N/A |
| Ocean quahaug | - | | | | | | | | N/A | N/A |
| Scallop | | | 27 | 63 | | | 23 | 58 | -14 | -9 |
| Whelk | - | | | | | | - | - | N/A | N/A |
| Lobster | - | | 613 | 8 921 | | | 682 | 7 882 | 11 | -12 |
| Shrimp | - | | | | | | | | N/A | N/A |
| Rock crab | - | | 140 | 132 | | | 175 | 163 | 25 | 24 |
| Snow crab | | | 3 349 | 15 765 | | | 2 892 | 12 241 | -14 | -22 |
| Other Molluscs and Crustaceans | - | - | | • | • | | | | N/A | N/A |
| Total Molluscs and Crustaceans | - | | 4 129 | 24 881 | - | - | 3 772 | 20 345 | -9 | -18 |
| Other Item | | | | | • | | ٠ | | N/A | N/A |
| Total | 21 | 25 | 8 195 | 27 231 | 113 | 141 | 7 223 | 22 944 | -12 | -16 |

BAIE-DES-CHALEURS

SHIGAWAKE TO MATAPEDIA

Quantity (metric tons, round weight), value ('000\$) (Excluding non commercial fisheries)

2007 (final)

2008 (preliminary)

| | Nover | nber | Cumu | lative | Nover | mber | Cumul | ative | | Variation (%) of Cumulative | |
|---------------------------------|-------|-------|-------|---------|-------|-------|-------|-------|------|-----------------------------|--|
| Species | Qty. | Value | Qty. | Value . | Qty. | Value | Qty. | Value | Qty. | Value | |
| Cod | - | • | 3 | 5 | - | • | 2 | 4 | -29 | -23 | |
| Haddock | - | - | | | | | | | N/A | N/A | |
| Redfish | - | - | | | | | | | N/A | N/A | |
| Atlantic halibut | - | | | | | | | | N/A | N/A | |
| American plaice | - | | | | | de | | | -62 | -62 | |
| Greysole (Witch) | | | - | | | | | œ | N/A | N/A | |
| Winter flounder | | | 14 | 14 | | | 11 | 8 | -21 | -40 | |
| Greenland halibut | - | | | | | | | | -100 | -100 | |
| Unspecified flounders | - | | - | | | - | | | N/A | N/A | |
| White hake | - | - | - | | | | | | N/A | N/A | |
| Catfish | | | - | | | | | | N/A | N/A | |
| Other Groundfish | - | | | • | | | | | -100 | -100 | |
| Total Groundfish | | | 18 | 19 | - | . • | 13 | 12 | -24 | -37 | |
| Herring | | | 385 | 154 | | | 300 | 165 | -22 | 7 | |
| Mackerel | | | 292 | 156 | | | 528 | 292 | 81 | 87 | |
| Tuna, Bluefin | - | | | | | | | | N/A | N/A | |
| Smelt | - | ~ | | | - | | | | N/A | N/A | |
| Capelin | - | | | | | | | | N/A | N/A | |
| Other Pelagic and Esturial fish | - | | • | • | 0 | ٠ | | | N/A | N/A | |
| Total Pelagic and Esturial fish | - | - | 677 | 310 | • | | 828 | 457 | 22 | 47 | |
| Soft-shell Clam | | | | 6 | | | | | N/A | N/A | |
| Ocean quahaug | - | - | | | | | | | N/A | N/A | |
| Scallop | | | 13 | 33 | | | 29 | 83 | 123 | 156 | |
| Whelk | - | | | | | | | | N/A | N/A | |
| Lobster | - | | 121 | 1 743 | | œ | 135 | 1 585 | 11 | -9 | |
| Shrimp | | | | | | | | | N/A | N/A | |
| Rock crab | - | | 426 | 373 | | | 376 | 330 | -12 | -12 | |
| Snow crab | - | | 1 184 | 5 612 | | | 854 | 3 577 | -28 | -36 | |
| Other Molluscs and Crustaceans | - | | | | | | | | N/A | N/A | |
| Total Molluscs and Crustaceans | - | • | 1 744 | 7 761 | | | 1 394 | 5 574 | -20 | -28 | |
| Other Item | | | | | | | | • | N/A | N/A | |
| Total | | | 2 439 | 8 090 | - | • | 2 235 | 6 044 | -8 | -25 | |

GASPESIE

| | | 200 | 7 (final) | | | 2008 (preliminary) | | | | |
|---|-------|-------|-----------|---------|-------|--------------------|--------|--------|---------------------|-------|
| | Nover | nber | Cumi | ulative | Novem | nber | Cumu | lative | Variatio of cumu | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | 20 | 24 | 1 308 | 1 720 | 145 | 183 | 1 508 | 2 080 | 15 | 21 |
| Haddock | - | - | - | • | | | | | N/A | N/A |
| Redfish | | - | 10 | 6 | | | 68 | 45 | 560 | 663 |
| Atlantic halibut | | 1 | 141 | 811 | | 2 | 181 | 1 041 | 28 | 28 |
| American plaice | | • | 40 | 32 | w | | 64 | 50 | 61 | 54 |
| Greysole (Witch) | | | • | | | | 9 | 1 | 195 | 372 |
| Winter flounder | | - | 14 | 14 | | | 11 | 8 | -23 | -41 |
| Greenland halibut | 1 | 2 | 2 433 | 4 558 | 2 | 5 | 2 404 | 4 739 | -1 | 4 |
| Unspecified flounders | | - | | | | | | | N/A | N/A |
| White hake | | | 6 | 3 | | | 9 | 5 | 61 | 69 |
| Catfish | | - | | | | | 3 | 1 | N/A | N/A |
| Other Groundfish | 1 | 1 | 6 | 3 | - | 0 | 7 | 4 | 21 | 15 |
| Total Groundfish | 22 | 27 | 3 958 | 7 148 | 148 | 189 | 4 257 | 7 973 | 8 | 12 |
| Marrina | | | 3 271 | 924 | | * | 2 268 | 808 | -31 | -13 |
| Herring | - | | 622 | 353 | 2 | 1 | 927 | 522 | 49 | 48 |
| Mackerel | | - | 022 | 333 | 4 | , | 341 | 5 | N/A | N/A |
| Tuna, Bluefin | | • | - | • | • | • | • | 3 | N/A | N/A |
| Smelt | | - | | | | - | | | N/A | N/A |
| Capelin Other Pelagic and Esturial fish | | | 15 | 77 | - | | 3 | 1 | -81 | -99 |
| _ | | | | | | | | | | |
| Total Pelagic and Esturial fish | • | • | 3 908 | 1 354 | 2 | 1 | 3 198 | 1 336 | -18 | -1 |
| Soft-shell Clam | | | | | - | • | | 4 | N/A | N/A |
| Ocean quahaug | | | | | | | - | | N/A | N/A |
| Scallop | - | | 59 | 142 | | | 56 | 153 | -4 | 8 |
| Whelk | | - | 303 | 328 | | | 280 | 312 | -8 | -5 |
| _obster | | , | 775 | 11 228 | | 100 | 876 | 10 183 | 13 | -9 |
| Shrimp | 303 | 294 | 16 422 | 16 087 | 164 | 198 | 19 038 | 22 070 | 16 | 37 |
| Rock crab | - | - | 977 | 867 | | | 985 | 867 | 1 | 0 |
| Snow crab | | • | 6 519 | 28 869 | | | 5 159 | 21 054 | -21 | -27 |
| Other Molluscs and Crustaceans | • | • | 1 | 1 | - | 60 | 201 | 53 | N/A | N/A |
| Fotal Molluscs and Crustaceans | 303 | 294 | 25 054 | 57 521 | 164 | 198 | 26 595 | 54 693 | 6 | -5 |
| Other Item | | • ' | | | | | | | N/A | N/A |
| Total | 325 | 321 | 32 921 | 66 023 | 315 | 389 | 34 050 | 64 001 | 3 | -3 |

QUEBEC MARINE FISHERIES CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, NOVEMBER 2008 QUEBEC REGION

PRELIMINARY

GASPÉ PENINSULA

| Species | Less tha | an 35' | 35' - 6 | 4'11" | 65' and | over | Total by | species |
|----------------------------------|----------|--------|----------|--------|----------|-------|----------|---------|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 42 | 64 | 1 458 | 2 005 | 9 | 10 | 1 508 | 2 080 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 00 |
| Redfish | 2 | 2 | 66 | 43 | 0 | 0 | 68 | 45 |
| Atlantic halibut | 14 | 81 | 166 | 955 | 1 | 5 | 181 | 1 04 |
| American plaice | 13 | 9 | 50 | 40 | 1 | 1 | 64 | 50 |
| Greysole (Witch) | 0 | 0 | 1 | 1 | 0 | 0 | 1 | |
| Winter flounder | 9 | 7 | 2 | 1 | 0 | 0 | 11 | |
| Greenland halibut | 498 | 973 | 1 895 | 3 745 | 11 | 21 | 2 404 | 4 739 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| White hake | 1 | 0 | 8 | 5 | 0 | 0 | 9 | |
| Catfish | 0 | 0 | 3 | 1 | 0 | 0 | 3 | |
| Other Groundfish | 1 | 0 | 6 | 3 | 0 | 0 | 7 | 4 |
| Total Groundfish | 580 | 1 136 | 3 655 | 6 800 | 22 | 38 | 4 257 | 7 97 |
| Herring | 724 | 271 | 1 543 | 537 | . 0 | D | 2 268 | 808 |
| Mackerel | 470 | 267 | 457 | 255 | 0 | 0 | 927 | 522 |
| Tuna, Bluefin | 0 | 0 | 0 | 5 | 0 | 0 | 0 | |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Other Pelagic and Estuarial fish | 0 | 0 | 3 | 1 | 0 | 0 | 3 | • |
| Total Pelagic and Estuarial fish | 1 195 | 538 | 2 004 | 798 | 0 | 0 | 3 198 | 1 33 |
| Soft-shell Clam | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Scallop | 0 | . 0 | 56 | 153 | 0 | 0 | 56 | 153 |
| Whelk | 114 | 126 | 166 | 187 | 0 | 0 | 280 | 312 |
| Lobster | 715 | 8 303 | 162 | 1 880 | 0 | 0 | 876 | 10 183 |
| Shrimp | 0 | 0 | 16 122 | 18 633 | 2 916 | 3 437 | 19 038 | 22 070 |
| Rock crab | 601 | 523 | 384 | 344 | 0 | 0 | 985 | 867 |
| Snow crab | 219 | 815 | 4 749 | 19 438 | 191 | 801 | 5 159 | 21 054 |
| Other Molluscs and Crustaceans | 0 | 0 | 201 | 53 | 0 | 0 | 201 | 5. |
| Total Molluscs and Crustaceans | 1 649 | 9 767 | 21 839 | 40 688 | 3 107 | 4 237 | 26 595 | 54 693 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 | 0 | (|
| Total | 3 423 | 11 441 | 27 498 | 48 286 | 3 129 | 4 275 | 34 050 | 64 00 |

* PRELIMINARY *

GASPESIE

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|---------------------------------|---------|----------|-------|-------|-------|-------|
| Cod | 0 | 0 | 0 | 0 | 33 | 3 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 1 | 38 |
| Atlantic halibut | 0 | 0 | 0 | 3 | 20 | 9 |
| American plaice | 0 | 0 | 0 | `1 | 5 | 11 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Vinter flounder | 0 | 0 | 0 | 0 | 8 | 3 |
| Greenland halibut | 0 | 0 | 0 | 80 | 486 | 560 |
| Inspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| Vhite hake | 0 | 0 | 0 | 0 | 1 | 1 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 0 | 0 | 2 |
| otal Groundfish | 0 | 0 | 0 | 85 | 553 | 625 |
| terring | 0 | 0 | 0 | 148 | 272 | 3 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 228 |
| una, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| melt | 0 | 0 | 0 | . 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| ther Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| otal Pelagic and Estuarial fish | 0 | 0 | 0 | 148 | 273 | 231 |
| oft-shell Clam | 0 | 0 | 0 | 0 | 0 | 0 |
| cean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| callop | 0 | 0 | 0 | 0 | 7 | 14 |
| Vhelk | 0 | 0 | 0 | 24 | 53 | 56 |
| obster | 0 | 0 | 0 | 0 | 665 | 180 |
| hrimp | 0 | . 0 | 0 | 3 942 | 4 021 | 3 021 |
| lock crab | 0 | 0 | 0 | 0 | 3 | 5 |
| now crab | 0 | 0 | 0 | 620 | 2 842 | 1 679 |
| other Molluscs and Crustaceans | 0 | . 0 | 0 | 13 | 82 | C |
| otal Molluscs et Crustaceans | 0 | 0 | 0 | 4 598 | 7 674 | 4 955 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| otal | 0 | 0 | 0 | 4 831 | 8 499 | 5 812 |

* PRELIMINARY *

GASPESIE

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|-------|--------|-----------|---------|----------|----------|--------|
| 448 | 378 | 306 | 196 | 145 | 0 | 1 508 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 26 | 2 | 1 | 0 | 0 | 0 | 68 |
| 91 | 35 | 19 | 3 | 0 | 0 | 181 |
| 14 | 18 | 13 | 2 | 0 | . 0 | 64 |
| 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 592 | 466 | 192 | 26 | 2 | 0 | 2 404 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | 2 | 1 | 0 | 0 | 0 | 9 |
| 1 | 1 | 1 | 0 | 0 | 0 | 3 |
| 2 | 2 | 0 | 0 | 0 | 0 | 7 |
| 1 179 | 904 | 534 | 228 | 148 | 0 | 4 257 |
| 4 | 1 006 | 805 | 29 | 0 | 0 | 2 268 |
| 69 | 313 | 299 | 16 | 2 | 0 | 927 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0. | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 0 | 0 | 0 | 0 | 3 |
| 74 | 1 321 | 1 104 | 45 | 2 | 0 | 3 198 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 22 | 8 | 6 | 0 | 0 | 0 | 56 |
| 57 | 58 | 32 | 1 | 0 | 0 | 280 |
| 31 | 0 | 0 | 0 | 0 | 0 | 876 |
| 3 330 | 2 569 | 1 603 | 387 | 164 | 0 | 19 038 |
| 14 | 617 | 327 | 19 | 0 | 0 | 985 |
| 17 | 0 | 0 | 0 | 0 | 0 | 5 159 |
| 0 | 0 | 49 | . 57 | 0 | 0 | 201 |
| 3 471 | 3 252 | 2 017 | 463 | 164 | 0 | 26 595 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 724 | 5 477 | 3 655 | 736 | 315 | | 34 050 |

* PRELIMINARY *

GASPESIE

Value ('000) (Excluding non commercial fisheries)

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|----------------------------------|---------|----------|-------|-------|--------|--------|
| Cod | 0 | 0 | 0 | 0 | 57 | 4 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 1 | 25 |
| Atlantic halibut | 0 | 0 | 0 | 23 | 118 | 54 |
| American plaice | 0 | 0 | 0 | •1 | 4 | 9 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 0 |
| Vinter flounder | 0 | 0 | 0 | 0 | 6 | 2 |
| Greenland halibut | 0 | 0 | 0 | 179 | 977 | 1 074 |
| Inspecified flounders | 0 | 0 | 0 | 0 | 0 | Ó |
| Vhite hake | 0 | 0 | 0 | 0 | 0 | 0 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 0 | 0 | 1 |
| otal Groundfish | 0 | 0 | 0 | 203 | 1 162 | 1 170 |
| Herring | 0 | 0 | 0 | 82 | 150 | 2 |
| Mackerel | 0 | 0 | 0 | 0 | 0 | 132 |
| una, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| melt | 0 | 0 | 0 | . 0 | 0 | 0 |
| apelin | 0 | 0 | 0 | 0 | 0 | 0 |
| other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| otal Pelagic and Estuarial fish | 0 | 0 | 0 | 82 | 150 | 134 |
| oft-shell Clam | 0 | 0 | 0 | 0 | 0 | 0 |
| cean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| callop | 0 | 0 | 0 | 0 | 20 | 38 |
| /helk | 0 | 0 | 0 | 27 | 61 | 62 |
| obster | 0 | 0 | 0 | 0 | 7 789 | 2 022 |
| hrimp | 0 | 0 | 0 | 4 593 | 4 692 | 3 518 |
| ock crab | 0 | 0 | 0 | 0 | 1 | 2 |
| now crab | 0 | 0 | 0 | 2 227 | 11 754 | 7 000 |
| ther Molluscs and Crustaceans | 0 | 0 | 0 - | 3 | 20 | 0 |
| otal Molluscs and Crustaceans | 0 | 0 | 0 | 6 850 | 24 337 | 12 642 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | 7.405 | 05.040 | 40.00 |
| otal | 0 | 0 | 0 | 7 135 | 25 649 | 13 946 |

*PRELIMINARY *

GASPESIE

Value ('000) (Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|-------|--------|-----------|---------|----------|----------|--------|
| 632 | 502 | 426 | 276 | 183 | 0 | 2 080 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | 1 | 0 | 0 | 0 | 0 | 45 |
| 524 | 195 | 109 | 15 | 2 | 0 | 1 041 |
| 12 | 14 | 10 | 2 | 0 | . 0 | 50 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 8 |
| 1143 | 918 | 389 | 54 | 5 | 0 | 4 739 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 1 | 1 | 0 | 0 | 0 | 5 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1 | 1 | 0 | 0 | 0 | 0 | 4 |
| 2 332 | 1 633 | 936 | 347 | 189 | 0 | 7 973 |
| 2 | 312 | 250 | 10 | 0 | 0 | 808 |
| 39 | 170 | 169 | 10 | 1 | 0 | 522 |
| 0 | 5 | 0 | 0 | 0 | 0 | 5 |
| 0 | 0 | 0 | 0 | 0. | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 42 | 488 | 419 | 19 | 1 | 0 | 1 336 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 58 | 20 | 17 | 0 | 0 | 0 | 153 |
| 63 | 64 | 35 | 1 | 0 | 0 | 312 |
| 371 | 1 | 0 | 0 | 0 | 0 | 10 183 |
| 3831 | 2 907 | 1 863 | 467 | 198 | 0 | 22 070 |
| 11 | 547 | 289 | 17 | 0 | 0 | 867 |
| 74 | 0 | 0 | 0 | 0 | 0 | 21 054 |
| 0 | 0 | 13 | 16 | 0 | 0 | 53 |
| 4 408 | 3 539 | 2 218 | 501 | 198 | 0 | 54 693 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 782 | 5 659 | 3 574 | 867 | 389 | 0 | 64 001 |
| 0 /02 | 5 659 | 3314 | 007 | 303 | • | 01001 |



GASPESIE

| | | 2007 (1 | inal) | | | 2008 (preli | iminary) | |
|----------------------------|-------|---------|-------|-------|-------|-------------|----------|-------|
| Species | Nover | mber | Cumul | ative | Noven | nber | Cumul | ative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | | | | | | | | |
| Gill net | 0 | 0 | 90 | 129 | 0. | 0 | 122 | 185 |
| Longline | 1 | 1 | 811 | 1 086 | 2 | • | 784 | 1 107 |
| Handline | 0 | 0 | * | * | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 19 | 23 | 225 | 291 | 142 | 183 | 353 | 466 |
| Midwater trawl (stern) | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 13 |
| Shrimp trawl | | * | | • | 0 | 0 | * | , |
| Danish seine | 0 | 0 | 181 | 214 | 0 | 0 | 230 | 299 |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 10 |
| Species total : | 20 | 24 | 1 308 | 1 720 | 145 | 183 | 1 508 | 2 080 |
| Redfish | | | | | | | | |
| Gill net | 0 | 0 | 5 | 4 | 0 | 0 | 6 | 4 |
| Longline | 0 | 0 | 1 | 1 | 0 | 0 | 2 | • |
| Japanese trap | 0 | 0 | * | * | . 0 | 0 | 0 | (|
| Bottom otter trawl (stern) | | * | 4 | 1 | | | 60 | 3 |
| Shrimp trawl | 0 | 0 | * | * | 0 | 0 | 0 | 1 |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | 5 | |
| Species total : | • | • | 10 | 6 | • | • | 68 | 4 |
| American plaice | | | | | | | | |
| Gill net | 0 | 0 | 33 | 27 | 0 | 0 | 52 | 4 |
| Longline | 0 | 0 | 3 | 2 | 0 | 0 | 3 | |
| Bottom otter trawl (stern) | | * | 2 | 1 | | • | 3 | |
| Midwater trawl (stern) | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Shrimp trawl | 0 | 0 | | 0 | 0 | 0 | • | |
| Danish seine | 0 | 0 | 2 | 1 | 0 | 0 | 5 | |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Species total : | | • | 40 | 32 | | • | 64 | 5 |
| Greenland halibut | | | | | | | | |
| Gill net | 0 | 0 | 2 404 | 4 505 | 2 | 4 | 2 315 | 4 56 |
| Longline | 0 | 0 | 20 | 36 | 0 | 0 | 53 | 10 |
| Bottom otter trawl (stern) | | * | 7 | 14 | | | 23 | 4 |
| Shrimp trawl | 1 | 1 | 2 | 3 | 0 | 0 | 2 | |
| Danish seine | 0 | 0 | | * | 0 | 0 | 0 | |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | 11 | 2 |
| Species total : | 1 | 2 | 2 433 | 4 558 | 2 | 5 | 2 404 | 4 73 |

GASPESIE

| | | 2007 (| final) | | | 2008 (prel | iminary) | | |
|----------------------------------|-------|--------|--------|-------|-------|------------|----------|-------|--|
| Species | Nover | nber | Cumuk | ative | Noven | nber | Cumuk | ative | |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value | |
| OTHER GROUNDFISH | | | | | | | | | |
| Gill net | 0 | 0 | 45 | 171 | 0, | 0 | 53 | 207 | |
| Longline | 0 | 0 | 115 | 641 | 0 | 0 | 153 | 823 | |
| Bottom ofter trawl (stern) | 1 | 1 | 5 | 8 | 1 | 2 | 3 | 7 | |
| Shrimp trawl | 9 | 1 | 2 | 11 | 0 | 0 | 3 | 19 | |
| Danish seine | 0 | 0 | * | 9 | 0 | 0 | 4 | * | |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | |
| Species total : | 1 | 1 | 167 | 832 | 1 | 2 | 213 | 1 060 | |
| Total Groundfish | 22 | 27 | 3 958 | 7 148 | 148 | 189 | 4 257 | 7 973 | |
| Herring | | | | | | | | | |
| Gill net | 0 | 0 | 3 271 | 924 | 0 | 0 | 2 268 | 808 | |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| Shrimp trawl | 0 | 0 | | | . 0 | 0 | * | 9 | |
| Species total : | 0 | 0 | 3 271 | 924 | 0 | 0 | 2 268 | 808 | |
| Mackerel | | | | | | | | | |
| Gill net | 0 | 0 | 546 | 311 | 2 | 1 | 379 | 212 | |
| Handline | 0 | 0 | 76 | 42 | 0 | 0 | 546 | 308 | |
| Fixed gear | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | |
| Species total : | 0 | 0 | 622 | 353 | 2 | 1 | 927 | 522 | |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | | |
| Gill net | 0 | 0 | 2 | 1 | 0 | 0 | 1 | 1 | |
| Longline | 0 | 0 | * | • | 0 | 0 | 1 | • | |
| Weir | 0 | - 0 | 12 | 76 | 0 | 0 | 0 | C | |
| Bottom otter trawl (stern) | 0 | 0 | * | | 0 | 0 | | | |
| Troller line | 0 | 0 | 0 | 0 | 0 | 0 | • | 5 | |
| Species total : | 0 | 0 | 15 | 77 | 0 | 0 | 3 | 6 | |
| Total Pelagic and Estuarial fish | 0 | 0 | 3 908 | 1 354 | 2 | 1 | 3 198 | 1 336 | |
| Scallop | | | | | | | | | |
| Drag | 0 | 0 | 59 | 142 | 0 | 0 | 56 | 153 | |
| Species total : | 0 | 0 | 59 | 142 | 0 | 0 | 56 | 153 | |

GASPESIE

| | | 2007 (| final) | | | 2008 (prel | iminary) | |
|--------------------------------|-------|--------|--------|--------|-------|------------|----------|--------|
| Species | Noven | nber | Cumul | ative | Novem | ber | Cumul | ative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Lobster | | | | | | | | |
| Pot | 0 | 0 | 775 | 11 228 | 0 | 0 | 876 | 10 183 |
| Species total : | 0 | 0 | 775 | 11 228 | 0 | 0 | 876 | 10 183 |
| Shrimp | | | | | | | | |
| Shrimp trawl | 303 | 294 | 16 422 | 16 087 | 164 | 198 | 19 038 | 22 070 |
| Species total : | 303 | 294 | 16 422 | 16 087 | 164 | 198 | 19 038 | 22 070 |
| Rock crab | | | | | | | | |
| Pot | 0 | 0 | 977 | 867 | 0 | 0 | 832 | 731 |
| Rock Crab trap (3 feet) | 0 | 0 | 0 | 0 | 0 | 0 | 153 | 136 |
| Species total : | 0 | 0 | 977 | 867 | 0 | 0 | 985 | 867 |
| Snow crab | | | | | | | | |
| Japanese trap | 0 | 0 | 499 | 2 009 | 0 | 0 | 371 | 1 41: |
| Conical trap | 0 | 0 | 2 026 | 8 440 | 0 | 0 | 1 60 | 6 37 |
| Mix of trap - crab | 0 | 0 | 3 175 | 14 551 | 0 | 0 | 2 646 | 11 23 |
| Fixed gear | 0 | 0 | 819 | 3 868 | 0 | 0 | 480 | 2 03 |
| Species total : | 0 | 0 | 6 519 | 28 869 | 0 | 0 | 5 159 | 21 05 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Trap | 0 | 0 | 303 | 328 | 0 | 0 | 0 | |
| Pot | 0 | .0 | 0 | 0 | 0 | 0 | 142 | 15 |
| Conical trap | 0 | 0 | 0 | 0 | 0 | 0 | 96 | 10 |
| Pyramidal trap | 0 | 0 | 0 | 0 | 0 | 0 | 42 | 4 |
| Drag | 0 | 0 | 1 | 1 | 0 | 0 | 201 | 5 |
| Species total : | 0 | 0 | 304 | 329 | 0 | 0 | 480 | 36 |
| Total Molluscs et Crustaceans | 303 | 294 | 25 054 | 57 521 | 164 | 198 | 26 595 | 54 69 |
| Sector total : | 325 | 321 | 32 921 | 66 023 | 315 | 389 | 34 050 | 64 00 |

MAGDALEN ISLANDS

| | 2007 (final) | | | | | 2008 (p | reliminary | 1) | | |
|---------------------------------|--------------|-------|-------|---------|-------|---------|------------|--------|-------------------|-------|
| | Nover | mber | Cum | ulative | Nover | nber | Cumu | lative | Variation of cumu | |
| Species | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value | Qty. | Value |
| Cod | - | | 87 | 130 | 7 | 10 | 98 | 151 | 13 | 16 |
| Haddock | | | - | - | - | | | | N/A | N/A |
| Redfish | | | 62 | 46 | | | 211 | 187 | 240 | 307 |
| Atlantic halibut | | | 25 | 159 | - | | 34 | 250 | 37 | 57 |
| American plaice | - | | 52 | 41 | | - | 9 | 6 | -83 | -85 |
| Greysole (Witch) | - | | 153 | 163 | | - | 44 | 48 | -71 | -70 |
| Winter flounder | | | 122 | 140 | | | 112 | 140 | -8 | 0 |
| Greenland halibut | - | | 9 | 18 | | - | 11 | 20 | 14 | 12 |
| Unspecified flounders | | | | | | | | | N/A | N/A |
| White hake | | | 1 | 1 | | | 10 | 6 | 696 | 919 |
| Catfish | - | | | | | | | | -65 | -71 |
| Other Groundfish | | | 247 | 290 | | | 164 | 209 | -34 | -28 |
| Total Groundfish | | - | 760 | 988 | 7 | 10 | 692 | 1 017 | -9 | 3 |
| Herring | | | 55 | 15 | | | 121 | 49 | 120 | 226 |
| Mackerel | 5 | 2 | 456 | 213 | 5 | 3 | 363 | 186 | -20 | -13 |
| Tuna, Bluefin | | | | | | | | | N/A | N/A |
| Smelt | | | | | | | | | N/A | N/A |
| Capelin | | | | | | | | | N/A | N/A |
| Other Pelagic and Esturial fish | • | | 2 | 2 | | | 2 | 2 | -12 | -11 |
| Total Pelagic and Esturial fish | 5 | 2 | 513 | 230 | 5 | 3 | 486 | 236 | -5 | 2 |
| Soft-shell Clam | | | 1 | 1 | | | 1 | 2 | 90 | 299 |
| Ocean quahaug | | | | | | | | | N/A | N/A |
| Scallop | | | 386 | 1 040 | - | | 314 | 622 | -18 | -40 |
| Whelk | 21 | 22 | 374 | 396 | 6 | 7 | 352 | 388 | -6 | -2 |
| obster | | | 2 406 | 32 347 | | | 2 522 | 28 643 | 5 | -11 |
| Shrimp | | | | | | | | | N/A | N/A |
| Rock crab | 2 | 2 | 803 | 658 | | | 644 | 566 | -20 | -14 |
| Snow crab | | | 1 919 | 9 446 | | | 2 021 | 8 080 | 5 | -14 |
| Other Molluscs and Crustaceans | 45 | 47 | 364 | 349 | 49 | 59 | 343 | 324 | -6 | -7 |
| Fotal Molluscs and Crustaceans | 68 | 71 | 6 252 | 44 236 | 55 | 65 | 6 198 | 38 625 | -1 | -13 |
| Other Item | | | | | e | | 2 | 4 | N/A | N/A |
| Total | 74 | 73 | 7 524 | 45 455 | 67 | 78 | 7 378 | 39 882 | -2 | -12 |

QUEBEC MARINE FISHERIES CUMULATIVE LANDINGS BY VESSEL LENGTH GROUP, NOVEMBER 2008 QUEBEC REGION

* PRELIMINARY *

MAGDALEN ISLANDS

| Species | Less tha | an 35' | 35' - 6 | 4'11" | 65' and | over | Total by | species |
|----------------------------------|----------|--------|----------|--------|----------|-------|----------|---------|
| | Quantity | Value | Quantity | Value | Quantity | Value | Quantity | Value |
| Cod | 0 | 12 | 90 | 426 | | 2 | | |
| Cod | 8 | 13 | 89 | 136 | .2 | 3 | 98 | 15 |
| Haddock | 0 | | 0 | | | 0 | 0 | 40 |
| Redfish | 7 | 0 | 70 | 62 | 141 | 125 | 211 | 18 |
| Atlantic halibut | 0 | 0 | 25 | 187 | 2 | 15 | 34 | 25 |
| American plaice | 0 | | 8 | - | 0 | 0 | 9 | |
| Greysole (Witch) | 11 | 0 | 42 | 46 | 1 | 2 | 44 | 4 |
| Winter flounder | 0 | 0 | 101 | 128 | 0 | 0 | 112 | 14 |
| Greenland halibut | | | 4 | 8 | 7 | 12 | 11 | 2 |
| Unspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| White hake | 0 | 0 | 3 | 2 | 7 | 4 | 10 | |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Other Groundfish | 7 | 8 | 155 | 200 | 2 | 1 | 164 | 20 |
| Total Groundfish | 32 | 81 | 498 | 774 | 162 | 162 | 692 | 1 01 |
| Herring | 31 | 13 | 91 | 36 | . 0 | 0 | 121 | 4 |
| Mackerel | 36 | 24 | 327 | 162 | 0 | 0 | 363 | 18 |
| Tuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Smelt | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Other Pelagic and Estuarial fish | 0 | 0 | 2 | 1 | 0 | 0 | 2 | |
| Total Pelagic and Estuarial fish | 67 | 36 | 420 | 200 | 0 | 0 | 486 | 23 |
| Soft-shell Clam | 1 | 2 | 0 | 0 | 0 | 0 | 1 | |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Scallop | 0 | 0 | 314 | 622 | 0 | 0 | 314 | 62 |
| Whelk | 0 | 0 | 352 | 388 | 0 | 0 | 352 | 38 |
| Lobster | 432 | 4 918 | 2 090 | 23 725 | 0 | 0 | 2 522 | 28 64 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Rock crab | 48 | 42 | 596 | 525 | 0 | 0 | 644 | 56 |
| Snow crab | 24 | 94 | 1 883 | 7 548 | 113 | 438 | 2 021 | 8 08 |
| Other Molluscs and Crustaceans | 37 | 34 | 306 | 290 | 0 | 0 | 343 | 32 |
| Total Molluscs and Crustaceans | 543 | 5 089 | 5 542 | 33 098 | 113 | 438 | 6 198 | 38 62 |
| Other items | 0 | 0 | 2 | 4 | 0 | 0 | 2 | |
| Total | 642 | 5 207 | 6 461 | 34 075 | 276 | 600 | 7 378 | 39 88 |

PRELIMINARY

MAGDALEN ISLANDS

| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|----------------------------------|---------|----------|-------|-------|-------|-------|
| Cod | 0 | 0 | 0 | 0 | 0 | 1 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 0 | 72 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 0 | 0 |
| American plaice | 0 | 0 | 0 | .0 | 0 | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 1 |
| Ninter flounder | 0 | 0 | 0 | 4 | 53 | 54 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 3 |
| Inspecified flounders | 0 | 0 | 0 | 0 | 0 | 0 |
| Vhite hake | 0 | 0 | 0 | . 0 | 0 | 3 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 3 | 65 | 93 |
| otal Groundfish | 0 | 0 | 0 | 8 | 118 | 228 |
| lerring | 0 | 0 | 0 | 3 | 50 | 0 |
| Mackerel | 0 | 0 | 0 | 0 | 2 | 25 |
| una, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | . 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 1 |
| otal Pelagic and Estuarial fish | 0 | 0 | 0 | 3 | 52 | 26 |
| Soft-shell Clam | 0 | 0 | 0 | 0 | 0 | 0 |
| cean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| callop | 0 | 0 | 0 | 255 | 23 | 7 |
| Vhelk | 0 | 0 | 0 | 0 | 0 | 39 |
| obster | 0 | 0 | 0 | 0 | 1 539 | 898 |
| hrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 0 | 0 | 0 | 0 | 2 | 6 |
| now crab | 0 | 0 | 0 | 0 | 1 308 | 662 |
| ther Molluscs and Crustaceans | 0 | 0 | 0 | 26 | 0 | 16 |
| otal Molluscs et Crustaceans | 0 | 0 | 0 | 280 | 2 872 | 1 628 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| otal | | | 0 | 291 | 3 042 | 1 882 |

* PRELIMINARY *

MAGDALEN ISLANDS

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|------|--------|-----------|---------|----------|----------|-------|
| 3 | 16 | 29 | 42 | 7 | 0 | 98 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 128 | 11 | 0 | 0 | 0 | 0 | 211 |
| 3 | 28 | 2 | 1 | 0 | 0 | 34 |
| 1 | 0 | 3 | 3 | 0 | 0 | 9 |
| 4 | 0 | 16 | 24 | 0 | 0 | 44 |
| 1 | 0 | 0 | 0 | 0 | 0 | 112 |
| 7 | 0 | 0 | 0 | 0 | 0 | 11 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | 2 | 0 | 0 | 0 | 0 | 10 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 164 |
| 155 | 57 | 50 | 70 | 7 | 0 | 692 |
| 100 | 01 | | | · | | 002 |
| 0 | 0 | 68 | 0 | 0 | 0 | 121 |
| 3 | 143 | 89 | 97 | 5 | 0 | 363 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 . | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| 3 | 143 | 157 | 97 | 5 | 0 | 486 |
| 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 28 | 2 | 0 | 0 | 0 | 0 | 314 |
| 75 | 98 | 101 | 34 | 6 | 0 | 352 |
| 86 | 0 | 0 | 0 | 0 | 0 | 2 522 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 130 | 443 | 63 | 0 | 0 | 644 |
| 51 | 0 | 0 | 0 | 0 | 0 | 2 021 |
| 79 | 60 | 75 | . 37 | 49 | 0 | 343 |
| 319 | 290 | 619 | 133 | 55 | 0 | 6 198 |
| 319 | 200 | 010 | 100 | 00 | U | 0 100 |
| 2 | 0 | 0 | 0 | 0 | 0 | 2 |
| 479 | 491 | 826 | 300 | 67 | 0 | 7 378 |

PRELIMINARY

MAGDALEN ISLANDS

Value ('000) (Excluding non commercial fisheries)


| SPECIES | JANUARY | FEBRUARY | MARCH | APRIL | MAY | JUNE |
|----------------------------------|---------|----------|-------|-------|--------|--------|
| Cod | 0 | 0 | 0 | 0 | 0 | 2 |
| Haddock | 0 | 0 | 0 | 0 | 0 | 0 |
| Redfish | 0 | 0 | 0 | 0 | 0 | 64 |
| Atlantic halibut | 0 | 0 | 0 | 0 | 0 | 2 |
| American plaice | 0 | 0 | 0 | .0 | 0 | 1 |
| Greysole (Witch) | 0 | 0 | 0 | 0 | 0 | 1 |
| Winter flounder | 0 | 0 | 0 | 5 | 69 | 66 |
| Greenland halibut | 0 | 0 | 0 | 0 | 0 | 6 |
| Unspecified flounders | 0 | .0 | 0 | 0 | 0 | 0 |
| White hake | 0 | 0 | 0 | 0 | 0 | 2 |
| Catfish | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Groundfish | 0 | 0 | 0 | 3 | 82 | 121 |
| Total Groundfish | 0 | 0 | 0 | 8 | 150 | 265 |
| Herring | 0 | 0 | 0 | 2 | 26 | 0 |
| Mackerel | 0 | 0 | 0 | 0 | 2 | 24 |
| Γuna, Bluefin | 0 | 0 | 0 | 0 | 0 | 0 |
| Smelt | 0 | 0 | 0 | . 0 | 0 | 0 |
| Capelin | 0 | 0 | 0 | 0 | 0 | 0 |
| Other Pelagic and Estuarial fish | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Pelagic and Estuarial fish | 0 | 0 | 0 | 2 | 28 | 24 |
| Soft-shell Clam | 0 | 0 | 0 | 0 | 0 | 1 |
| Ocean quahaug | 0 | 0 | 0 | 0 | 0 | 0 |
| Scallop | 0 | 0 | 0 | 498 | 48 | 14 |
| Whelk | 0 | 0 | 0 | 0 | 0 | 43 |
| _obster | 0 | 0 | 0 | 0 | 17 895 | 9 731 |
| Shrimp | 0 | 0 | 0 | 0 | 0 | 0 |
| Rock crab | 0 | 0 | 0 | 0 | 2 | 4 |
| Snow crab | 0 | 0 | 0 | 0 | 5 120 | 2 751 |
| Other Molluscs and Crustaceans | 0 | . 0 | 0 | 24 | 0 | 12 |
| Fotal Molluscs and Crustaceans | 0 | 0 | 0 | 522 | 23 066 | 12 555 |
| Other items | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 0 | 0 | 0 | 532 | 23 244 | 12 844 |

*PRELIMINARY *

MAGDALEN ISLANDS

Value ('000) (Excluding non commercial fisheries)

| JULY | AUGUST | SEPTEMBER | OCTOBER | NOVEMBER | DECEMBER | TOTAL |
|-------|--------|-----------|---------|----------|----------|--------|
| 5 | 25 | 52 | 57 | 10 | 0 | 151 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 113 | 10 | 0 | 0 | 0 | 0 | 187 |
| 23 | 206 | 11 | 8 | 0 | 0 | 250 |
| 1 | 0 | 2 | 2 | . 0 | . 0 | 6 |
| 5 | 0 | 17 | 25 | 0 | 0 | 48 |
| 1 | 0 | 0 | 0 | 0 | 0 | 140 |
| 13 | 0 | 0 | 0 | 0 | 0 | 20 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 1 | 0 | 0 | 0 | 0 | 6 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 209 |
| 166 | 243 | 83 | 93 | 10 | 0 | 1 017 |
| 0 | 0 | 21 | 0 | 0 | 0 | 49 |
| 2 | 63 | 41 | 51 | 3 | 0 | 186 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 . | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 1 | 0 | 0 | 0 | 2 |
| 3 | 64 | 63 | 51 | 3 | 0 | 236 |
| 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 59 | 3 | 0 | 0 | 0 | 0 | 622 |
| 82 | 108 | 112 | 37 | 7 | 0 | 388 |
| 1017 | 0 | 0 | 0 | 0 | 0 | 28 643 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 114 | 391 | 56 | 0 | 0 | 566 |
| 209 | 0 | 0 | 0 | 0 | 0 | 8 080 |
| 65 | 47 | 71 | 44 | 59 | 0 | 324 |
| 1 432 | 274 | 574 | 137 | 65 | 0 | 38 625 |
| 4 | 0 | 0 | 0 | 0 | 0 | 4 |
| 1 604 | 580 | 719 | 281 | 78 | 0 | 39 882 |



MAGDALEN ISLANDS

| | | 2007 (fi | nal) | | | 2008 (prelin | minary) | |
|----------------------------|-------|----------|--------|-------|-------|--------------|---------|-------|
| Species | Nover | nber | Cumula | ative | Noven | nber | Cumul | ative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Cod | | | | | | | | |
| Gill net | 0 | 0 | 2 | 4 | 0 - | 0 | | 1 |
| Longline | 0 | 0 | 42 | 68 | 0 | 0 | 39 | 68 |
| Handline | 0 | 0 | 3 | 4 | • | | 14 | 25 |
| Bottom otter trawl (stern) | 0 | 0 | 22 | 27 | 7 | 10 | 40 | 49 |
| Scottish seine | 0 | 0 | 19 | 27 | 0 | 0 | 5 | 8 |
| Species total : | 0 | 0 | 87 | 130 | 7 | 10 | 98 | 151 |
| Redfish | | | | | | | | |
| Longline | 0 | 0 | • | * | 0 | 0 | * | |
| Bottom otter trawl (stern) | 0 | 0 | 62 | 46 | 0 | 0 | 70 | 62 |
| Scottish seine | 0 | 0 | • | • | 0 | 0 | 141 | 125 |
| Species total : | 0 | 0 | 62 | 46 | 0 | 0 | 211 | 187 |
| American plaice | | | | | | | | |
| Gill net | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| Longline | 0 | 0 | * | | 0 | 0 | * | • |
| Handline | 0 | 0 | 0 | 0 | 0 | 0 | * | • |
| Stationary lift net | 0 | 0 | * | * | 0 | 0 | 0 | C |
| Bottom otter trawl (stern) | 0 | 0 | 3 | 2 | 0 | 0 | 1 | 1 |
| Scottish seine | 0 | 0 | 49 | 38 | 0 | 0 | 8 | Ę |
| Species total : | 0 | 0 | 52 | 41 | 0 | 0 | 9 | 6 |
| Greenland halibut | | | | | | | | |
| Bottom otter trawl (stern) | 0 | 0 | 9 | 17 | 0 | 0 | 4 | 8 |
| Scottish seine | 0 | 0 | 1 | 1 | 0 | 0 | 7 | 13 |
| Species total : | 0 | 0 | 9 | 18 | 0 | 0 | 11 | 20 |
| OTHER GROUNDFISH | | | | | | | | |
| Gill net | 0 | 0 | 11 | 19 | 0 | 0 | 14 | 18 |
| Longline | 0 | 0 | 21 | 138 | 0 | 0 | 32 | 231 |
| Handline | 0 | 0 | * | 1 | 0 | 0 | 0 | (|
| Stationary lift net | 0 | 0 | 3 | 3 | 0 | 0 | 5 | |
| Bottom otter trawl (stern) | 0 | 0 | 243 | 286 | • | * | 202 | 26 |
| Scottish seine | 0 | 0 | 270 | 305 | 0 | 0 | 111 | 133 |
| Species total : | 0 | 0 | 549 | 753 | • | • | 364 | 653 |

MAGDALEN ISLANDS

| | | 2007 (| final) | | | 2008 (pre | liminary) | |
|----------------------------------|------|--------|--------|--------|-------|-----------|-----------|--------|
| Species | Nove | mber | Cumu | lative | Novem | nber | Cumui | lative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Total Groundfish | 0 | 0 | 760 | 988 | 7 | 10 | 692 | 1 017 |
| Herring | | | | | | | | |
| Gill net | 0 | 0 | 55 | 15 | 0 | 0 | 118 | 47 |
| Fixed gear | 0 | 0 | * | * | 0 | 0 | 3 | 1 |
| Bottom otter trawl (stern) | 0 | 0 | 0 | 0 | 0 | 0 | | • |
| Species total : | 0 | 0 | 55 | 15 | 0 | 0 | 121 | 49 |
| Mackerel | | | | | | | | |
| Gill net | 0 | 0 | 53 | 51 | 0 | 0 | 30 | 28 |
| Handline | 5 | 2 | 403 | 162 | 5 | 3 | 333 | 157 |
| Species total : | 5 | 2 | 456 | 213 | 5 | 3 | 363 | 186 |
| OTHER PELAGIC AND ESTUARIAL FISH | | | | | | | | |
| Gill net | 0 | 0 | * | * | 0 | 0 | • | |
| Longline | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
| Handline | 0 | 0 | * | | 0 | 0 | 0 | 0 |
| Bottom otter trawl (stern) | 0 | 0 | 1 | 1 | 0 | 0 | 1 | ۰ |
| Scottish seine | 0 | 0 | * | 0 | 0 | 0 | 0 | 0 |
| Species total : | 0 | 0 | 2 | 2 | 0 | 0 | 2 | 2 |
| Total Pelagic and Estuarial fish | 5 | 2 | 513 | 230 | 5 | 3 | 486 | 236 |
| Scallop | | | | | | | | |
| Drag | 0 | 0 | 386 | 1 040 | 0 | 0 | 314 | 622 |
| Species total : | 0 | 0 | 386 | 1 040 | 0 | 0 | 314 | 622 |
| Lobster | | | | | | | | |
| Pot | 0 | 0 | 2 406 | 32 347 | 0 | 0 | 2 522 | 28 643 |
| Species total : | 0 | 0 | 2 406 | 32 347 | 0 | 0 | 2 522 | 28 643 |
| Rock crab | | | | | | | | |
| Pot | 0 | 0 | 171 | 100 | 0 | 0 | 9 | 6 |
| Rock Crab trap (3 feet) | 2 | 1 | 247 | 218 | 0 | 0 | 203 | 179 |
| Rock Crab trap (4 feet) | * | ٠ | 385 | 339 | 0 | 0 | 432 | 381 |

MAGDALEN ISLANDS

| | | 2007 | (final) | | | 2008 (pre | liminary) | |
|--|-------|-------|---------|---------|-------|-----------|-----------|--------|
| Species | Nover | mber | Cumu | ilative | Nover | nber | Cumu | lative |
| Gear | Qty | Value | Qty | Value | Qty | Value | Qty | Value |
| Species total : | 2 | 2 | 803 | 658 | | 0 | 644 | 566 |
| Snow crab | | | | | | | | |
| Japanese trap | 0 | 0 | | | 0 | 0 | 0 | 0 |
| Conical trap | 0 | 0 | 752 | 3 757 | 0 | 0 | 652 | 2 728 |
| Pyramidal trap | 0 | 0 | 6 | 31 | 0 | 0 | 2 | 2 / 20 |
| Mix of trap - crab | 0 | 0 | 1 150 | 5 618 | 0 | 0 | 1 327 | 5 213 |
| Fixed gear | 0 | 0 | 10 | 39 | 0 | 0 | 40 | 132 |
| Species total : | 0 | 0 | 1 919 | 9 446 | 0 | 0 | 2 021 | 8 080 |
| OTHER MOLLUSCS AND CRUSTACEANS | | | | | | | | |
| Diving with hand tool | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 6 |
| Hand and hand held tools | 0 | 0 | 33 | 35 | 0 | 0 | 11 | 13 |
| Pot | 10 | 8 | 193 | 151 | 6 | 7 | 360 | 390 |
| Conical trap. | 0 | 0 | 0 | 0 | . 0 | 0 | 117 | 91 |
| Trap for whelk (0,15 cubic metre and le | 0 | 0 | 0 | 0 | 0 | 0 | | 91 |
| Trap for whelk (0,16 to 0,30 cubic metre | 21 | 22 | 376 | 396 | 0 | 0 | 0 | 0 |
| Mix of trap - crab | 0 | 0 | 0 | 0 | 0 | 0 | 46 | 35 |
| Scottish seine | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Drag | 35 | 39 | 137 | 164 | 49 | 59 | 157 | 179 |
| Species total : | 66 | 69 | 739 | 746 | 55 | 65 | 697 | 714 |
| Total Molluscs et Crustaceans | 68 | 71 | 6 252 | 44 236 | 55 | 65 | 6 198 | 38 625 |
| OTHER ITEMS | | r | | | | | | |
| Drag | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 4 |
| Species total : | 0 | | 0 | 0 | 0 | | 2 | |
| | | | 3 | · · | J | 0 | 2 | 4 |
| 0 | | | | | | | | |
| Sector total: | 74 | 73 | 7 524 | 45 455 | 67 | 78 | 7 378 | 39 882 |

REGIONAL SUMMARY

\$ / kilogram (Excluding non commercial fisheries)

| Species | Landed form | 2007 | (final) | 2008 (pr | eliminary) | Variation in % |
|----------------------------|---------------------|----------|------------|----------|------------|----------------|
| | Description | November | Cumulative | November | Cumulative | of cumulative |
| GROUNDFISH | | | | | | |
| | Record | | 1,184 | * | 1,278 | 7.9 |
| Cod | Round | | | | | 0.3 |
| | Gutted, head on | • | 1,524 | 1,581 | | |
| | Green salted | | | ۰ | 3,536 | N/A |
| Redfish | Round | • | 0,1.10 | - | 0,828 | 15,7 |
| Atlantic halibut | Round | ۰ | 7,255 | | 6,614 | |
| | Gutted, head on | - | 6,789 | 6,722 | 6,912 | 1,8 |
| American plaice | Round | | 0,802 | - | 0,787 | -1,9 |
| Greysole (Witch) | Round | - | 1,064 | | 1,096 | 3,0 |
| Winter flounder | Round | - | 1,132 | | 1,208 | 6,8 |
| Greenland halibut | Round | - | 1,914 | | 2,026 | 5,9 |
| | Bled, partly gutted | | 1,957 | 2,052 | 2,063 | 5,4 |
| White hake | Round | | | | 0,551 | N/A |
| | Gutted, head on | | 0,640 | | 0,698 | 9,1 |
| Catfish | Gutted, head on | | 0,998 | | 0,451 | -54,8 |
| PELAGIC AND ESTUARIAL | | | | | | |
| Herring | Round | | 0,288 | | 0,330 | 14,4 |
| Mackerel | Round | | 0,522 | 0,515 | 0,543 | 4,0 |
| Capelin | Round | | 0,278 | | 0,177 | -36,1 |
| MOLLUSCS ET CRUSTACEANS | | | | | | |
| Soft-shell Clam | In shell | | 1,502 | 4 | 1,565 | 4,2 |
| Scallop | In shell | | 1,297 | | 1,249 | -3,8 |
| | Meat | 10,572 | 17,040 | 13,228 | 15,403 | -9,6 |
| Whelk | In shell | 1,073 | 1,029 | 1,119 | 1,058 | 2,8 |
| Lobster | Round | | 13.682 | | 11.424 | -16.5 |
| | Cooked in shell. | | | | | |
| Chairean | Round | 0,958 | | 1,178 | | |
| Shrimp | | | | | | |
| | Cooked in shell | 3,242 | | 3,546 | | |
| Rock crab | Round | | | | | |
| Snow crab | Round | | 4,273 | | 3,747 | -12,3 |

NORTH-SHORE

\$ / kilogram (Excluding non commercial fisheries)

| Species | Landed form | 2007 | (final) | 2008 (pr | eliminary) | Variation in % |
|-------------------|---------------------|----------|------------|----------|------------|----------------|
| | Description | November | Cumulative | November | Cumulative | of cumulative |
| GROUNDFISH | | | | | | |
| Cod | Gutted, head on | | 1,410 | | 1,237 | -12,2 |
| | Green salted | - | * | ø | 3,536 | N/A |
| Redfish | Round | • | • | 0 | 0,441 | N/A |
| Atlantic halibut | Gutted, head on | • | 7,225 | e0 | 6,985 | -3,3 |
| American plaice | Round | | 1,012 | - | 0,987 | -2,4 |
| Greenland halibut | Bled, partly gutted | | 1,911 | • | 2,031 | 6,3 |
| White hake | Round | ۰ | | | 0,551 | N/A |
| PELAGIC AND ESTUA | ARIAL FISH | | | | | |
| Herring | Round | ~ | 0,395 | • | 0,141 | -64,2 |
| Mackerel | Round | - | 0,265 | | 0,274 | 3,6 |
| Capelin | Round | | 0,235 | | 0,144 | -38,8 |
| MOLLUSCS ET CRUS | TACEANS | | | | | |
| Soft-shell Clam | In shell | | 1,503 | | 1,562 | 3,9 |
| Scallop | In shell | | 1,297 | • | 1,234 | -4,9 |
| | Meat | 10,572 | 11,053 | 13,228 | 13,321 | 20,5 |
| Whelk | In shell | | 0,982 | - | 0,995 | 1,3 |
| Lobster | Round | | 12,480 | - | 11,275 | -9,7 |
| Shrimp | Round | | 0,984 | • | 1,115 | 13,3 |
| | Cooked in shell | 3,262 | 3,723 | 3,570 | 3,698 | -0,7 |
| Rock crab | Round | | 0,773 | • | 0,772 | -0,1 |
| Snow crab | Round | | 3,914 | • | 3,392 | -13,3 |

GASPESIE

\$ / kilogram (Excluding non commercial fisheries)

| Species | Landed form | 2007 | (final) | 2008 (pr | eliminary) | Variation in % |
|-------------------|---------------------|----------|------------|----------|------------|----------------|
| | Description | November | Cumulative | November | Cumulative | of cumulative |
| GROUNDFISH | | | | * | | |
| Cod | Round | | 1,173 | | 1,280 | 9,1 |
| | Gutted, head on | | 1,609 | 1,571 | 1,690 | 5,0 |
| Redfish | Round | 0 | 0,569 | • | 0,661 | 16,1 |
| Atlantic halibut | Round | • | | • | 6,614 | N/A |
| | Gutted, head on | - | 6,615 | 6,614 | 6,614 | -0,0 |
| American plaice | Round | - | 0,817 | | 0,777 | -4,8 |
| Winter flounder | Round | | 0.976 | | 0,738 | -24.4 |
| Greenland halibut | Round | | 1,909 | | 2,153 | 12,8 |
| | Bled, partly gutted | | 1,968 | 2,052 | 2,071 | 5,2 |
| White hake | Gutted, head on | | 0,662 | | 0,693 | 4,6 |
| Catfish | Gutted, head on | | | | 0,439 | N/A |
| PELAGIC AND ESTU | ARIAL FISH | | | | | |
| Herring | Round | | 0,282 | | 0,356 | 26,1 |
| Mackerel | Round | • | 0,568 | ۰ | 0,563 | -1,0 |
| MOLLUSCS ET CRUS | STACEANS | | | | | |
| Scallop | Meat | | 20,188 | | 22,560 | 11,7 |
| Whelk | In shell | , . | 1,084 | • | 1,117 | 3,0 |
| Lobster | Round | | 14,492 | | 11,629 | -19,8 |
| | Cooked in shell | | 12,501 | | 10,126 | -19,0 |
| Shrimp | Round | 0,958 | 0,979 | 1,160 | 1,134 | 15,9 |
| | Cooked in shell | | | • | 3,449 | N/A |
| Rock crab | Round | | 0,887 | | 0,880 | -0.8 |
| Snow crab | Round | | 4,429 | - | 4,081 | -7,8 |

MAGDALEN ISLANDS

\$ / kilogram (Excluding non commercial fisheries)

| Species | Landed form Description | 2007 (final) | | 2008 (preliminary) | | Variation in % |
|-------------------|----------------------------|--------------|------------|--------------------|------------|----------------|
| | | November | Cumulative | November | Cumulative | of cumulative |
| GROUNDFISH | | | | | | |
| Cod | Round | ٠ | 1,292 | | 1,278 | -1,1 |
| | Gutted, head on | | 1,808 | | 1,910 | 5,7 |
| Redfish | Round | | 0,746 | • | 0,885 | 18,7 |
| Atlantic halibut | Gutted, head on | • | 7,394 | | 8,496 | 14,9 |
| American plaice | Round | | 0,777 | • | 0,728 | -6,3 |
| Greysole (Witch) | Round | | 1,065 | | 1,105 | 3,7 |
| Winter flounder | Round | | 1,150 | | 1,253 | 9,0 |
| Greenland halibut | Round | - | 2,033 | | • | N/A |
| | Bled, partly gutted | - | 1,993 | - | 2,002 | 0,4 |
| White hake | Gutted, head on | • | • | | 0,705 | N/A |
| Catfish | Gutted, head on | | 1,137 | | | N/A |
| PELAGIC AND ESTU | ARIAL FISH | | | | | |
| Herring | Round | • | 0,282 | | 0,401 | 42.2 |
| Mackerel | Round | | 0,469 | 0,499 | 0,509 | 8,5 |
| MOLLUSCS ET CRUS | STACEANS | | | | | |
| Soft-shell Clam | In shell | | 1,102 | | 2,205 | 100,0 |
| Scallop | Meat | | 22,376 | • | 16,420 | -26,6 |
| Whelk | In shell | 1,073 | 1,059 | | 1,102 | 4,1 |
| Lobster | Round | - | 13,447 | | 11,357 | -15,5 |
| Rock crab | Round | | 0.819 | | 0,879 | 7,3 |
| Snow crab | Round | | 4.922 | | 3,999 | -18,8 |



